

# **Supplement 5 (Part 2)<sup>1</sup>**

## **Twenty-five Volume Index, 1964-1992 Volumes 1-25, including Supplements 1-3**

### **II: SUBJECT INDEX<sup>2</sup>**

**CHRISTOPHER S. LOBBAN**

#### **Contents**

- Dates of Publication, p. 64
- Part 3: Newly Described Taxa, p. 65
- Part 4: General Subject Index, p. 72

---

<sup>1</sup> Part 1 of this index, comprising author/title index (titles classified by major subject categories), book review index, and conference index, was printed in volume 26, number 2, April 1994. It can also be accessed and searched online via our web site: [www.uog.edu/up/micronesica/](http://www.uog.edu/up/micronesica/).

<sup>2</sup> Cumulative index for volumes 26-30 was printed in volume 30, number 2, May 1998. This index is also available on our web site.

### Dates of Publication

<b>Issue</b>	<b>Actual date of publication</b>	<b>Issue</b>	<b>Actual date of publication</b>
1(1/2)	Sep. 1964	14(1)	June 1978
2(1)	Jan. 1966	14(2)	Dec. 1978
2(2)	Feb. 1967	15(1/2)	June 1979
3(1)	July 1967	Suppl. 1	June 1979
3(2)	Dec. 1967	16(1)	June 1980
4(1)	June 1968	16(2)	Dec. 1980?
4(2)	Sep. 1969	17(1/2)	Dec. 1981
5(1)	Dec. 1969	18(1)*	June 1982
5(2)	Dec. 1970	18(2)*	Feb. 1984
6	July 1970	19(1/2)	Dec. 1984
7(1/2)	July 1972	20(1/2)	Aug. 1988
8(1/2)	Dec. 1972	21(1/2)	Sep. 1989
9(1)	July 1973	22(1)	Aug. 1989
9(2)	Dec. 1973	22(2)	Dec. 1989
10(1)	June 1974	23(1)	June 1990
10(2)	Dec. 1974	Suppl. 2	Oct. 1990
11(1)	July 1975	23(2)	Dec. 1990
11(2)	Dec. 1975	24(1)	June 1991
12(1)	June 1976	Suppl. 3	June 1991
12(2)	Dec. 1976	24(2)	Dec. 1991
13(1)	June 1977	25(1)	June 1992
13(2)	Dec. 1977	25(2)	Dec. 1992

\* Pagination within volumes is continuous except for volume 18, in which each issue was paginated separately.

## Part 3: Newly Described Taxa

[not including nomenclatural changes]

### PROTISTA

#### CHLOROPHYTA

- Avrainvillea hollenbergii* Trono, **7(1/2):** 52–53, 72–73
- Boodlea trukensis* Trono, **7(1/2):** 49–50, 64–65
- Boodeopsis carolinensis* Trono, **7(1/2):** 45–47, 58–59
- Cladophoropsis carolinensis* Trono, **7(1/2):** 48–49, 62–63
- Cladophoropsis palauensis* Trono, **7(1/2):** 47–48, 60–61
- Chlorodesmis dotyi* Trono, **7(1/2):** 51–52, 70–71
- Derbesia padinae* Trono, **7(1/2):** 50–51, 68–69
- Microdictyon mokilensis* Trono, **7(1/2):** 50, 66–67
- Udotea polychotomis* Cordero, **10(2):** 243–249

#### PHAEOPHYTA

- Padina jonesii* Tsuda, **8(1/2):** 98
- Sphacelaria carolinensis* Trono, **7(1/2):** 55–56, 76–77

#### RHODOPHYTA

- Ceramium kororensis* Trono, **7(1/2):** 54–55, 74–75
- Cottoniella amamiensis* Itono, **8(1/2):** 57–59
- Galaxaura yamadae* Itono, **13(1):** 20–22
- Polycavernosa tsudae* Meneses & Abbott, **20(1/2):** 195–198
- Spyridia velasquezii* Trono, **7(1/2):** 53–54, 74–77

### PLANTAE

#### PTERIDOPHYTA

- Sphenomeris chinensis* var. *hawaiensis* Fosberg & Sachet, **18 (1):** 131–132
- Sphenomeris chinensis* var. *tenuisecta* Fosberg & Sachet, **18 (1):** 132

#### MAGNOLIOPHYTA

- Alstonia marquesensis* Fosberg & Sachet, **8(1/2):** 46–47
- Alyxia stellata* var. *deckeri* Fosberg, **4(2):** 259; **10(2):** 254<sup>3</sup>
- Alyxia stellata* var. *fatuhiveensis* Fosberg, **4(2):** 259; **10(2):** 254<sup>3</sup>
- Canavalia megalantha* var. *falanruwiae* Fosberg & Sachet, **11(1):** 78–79

---

<sup>3</sup> Fosberg & Sachet redescribed these two varieties of *Alyxia stellata* in 1974, apparently forgetting that Fosberg had already described them in 1969.

- Cyperus odoratus* var. *attenuatus* Fosberg & Sachet, **20(1/2):** 167  
*Cyperus odoratus* var. *curtispiculus* Fosberg & Sachet, **20(1/2):** 167–168  
*Dianella saffordiana* Fosberg & Sachet, **20(1/2):** 132–133  
*Euphorbia prostrata* var. *caudirhiza* Fosberg, **25(2):** 189  
*Leucaena insularum* var. *guamensis* Fosberg & Stone, **2(1):** 67–70  
*Loheria* subgen. *Longicorona* Stone, **24(1):** 79  
*Loheria jubiliaria* Stone, **24(1):** 74–75  
*Mapania flavinux* Koyama, **1(1):** 65–66  
*Neisosperma*<sup>4</sup> *brownii* Fosberg & Sachet, **8(1/2):** 49  
*Nervilia jacksoniae* Rinehart & Fosberg, **24(1):** 81–85  
*Nesogenes euphrasioides* var. *lineata* Fosberg, **23(1):** 2  
*Nesogenes rotensis* Fosberg & Herbst, **19(1/2):** 11–15  
*Ochrosia fatuhivensis* Fosberg & Sachet, **8(1/2):** 48  
*Ochrosia mariannensis* var. *crassicarpa* Fosberg & Falanruw, **11(1):** 80  
*Ochrosia nukuhivensis* Fosberg & Sachet, **8(1/2):** 48  
*Passiflora suberosa* var. *perhastata* Fosberg, **25(2):** 193  
*Psychotria whistleri* Fosberg, **23(1):** 3  
*Scaevela paulayi* Fosberg, **23(1):** 3–4  
*Schoenus tendo* ssp. *achaetus*, Koyama, **1(1):** 104–105  
*Terminalia glabrata* var. *intonsa* Fosberg, **23(1):** 2  
*Timonius corymbosus* var. *takamatsui* Fosberg & Sachet, **20(1/2):** 159  
*Timonius mollis* var. *submollis* Fosberg & Sachet, **20(1/2):** 161  
*Timonius salsedoi* Fosberg & Sachet, **20(1/2):** 162  
*Timonius subauritus* var. *strigosus* Fosberg & Sachet, **20(1/2):** 163  
*Weinmannia parviflora* var. *myrsinites* Fosberg & Sachet, **8(1/2):** 45–46

## ANIMALIA<sup>5</sup>

### PORIFERA

- Dactylia infundibuliformis* Berquist, Morton & Tizard, 1972, **7(1/2):** 104–105,  
     119  
*Eurypon nigra* Bergquist, 1967, **3(2):** 167–168  
*Halichondria coerulea* Bergquist, 1967, **3(2):** 165–166  
*Mycale (Carmia) digitata* Bergquist & Tizard, 1967, **3(2):** 187–189  
*Pseudoxinyssa stipitata* Bergquist & Tizard, 1967, **3(2):** 189–191  
*Sigmadocia symbiotica* Bergquist & Tizard, 1967, **3(2):** 183–184  
*Stylocordyla australis* Bergquist, 1972, **8(1/2):** 128–130

---

<sup>4</sup> Misspelled *Neiosperma* in this article; cf. *Micronesica* 15: 216.

<sup>5</sup> The dates given for new animal taxa reflect the actual dates of publication.

- Stylocordyla fragilis* Bergquist, 1972, **8(1/2)**: 131–132  
*Terpios granulosa* Bergquist, 1967, **3(2)**: 168–169

#### CNIDARIA

- Amplexidiscus* Dunn & Hamner, 1980, **16(1)**: 29–31  
*Amplexidiscus fenestrafer* Dunn & Hamner, 1980, **16(1)**: 31–36  
*Asterospicularia randalli* Gawel, 1976, **12(2)**: 303–307  
*Distichopora (Haplomerismos) anceps* Cairns, 1978, **14(1)**: 83–87  
*Trichogorgia faulkneri* Bayer, 1974, **10(2)**: 263–267 [with color plate]

#### ANNELIDA

- Pheretima mira* Gates, 1972, **8(1/2)**: 121–123  
*Spirorbis (Pileolaria) polyoperculatus* Straughan, 1969, **5(1)**: 151–153

#### CRUSTACEA

- Calcinus argus* Wooster, 1984, **18 (2)**: 133–138  
*Calcinus guamensis* Wooster, 1984, **18 (2)**: 141–146  
*Calcinus haigae* Wooster, 1984, **18 (2)**: 146–152  
*Calcinus hazletti* Haig & McLaughlin, 1984, **19(1/2)**: 107–121  
*Calcinus laurentae* Haig & McLaughlin, 1984, **19(1/2)**: 107–121  
*Camptandrium rathbunae* Danforth, 1972, **7(1/2)**: 200–202  
*Demania toxica* Danforth, 1972, **7(1/2)**: 179–183  
*Etisus odhneri* Danforth, 1972, **7(1/2)**: 193–195  
*Grapsicepon sinensis* Danforth, 1972, **7(1/2)**: 163–167  
*Homola dickinsoni* Eldredge, 1980, **16(2)**: 274–277  
*Hypercepon guamensis* Danforth, 1972, **7(1/2)**: 167–169  
*Hypercepon* Danforth, 1972, **7(1/2)**: 167  
*Hypsophrys williamsi* Takeda, 1980, **16(2)**: 282–286  
*Microcyclops microsetus* Yeatman, 1984, **19(1/2)**: 68–71  
*Nitocra lacustris pacificus* Yeatman, 1984, **19(1/2)**: 81–82  
*Nitocra pseudospinipes* Yeatman, 1984, **19(1/2)**: 82–84  
*Onychocepon seychellensis* Danforth, 1972, **7(1/2)**: 169–172  
*Paralomis haigae* Eldredge, 1976, **12(2)**: 312–314  
*Paralomis seagranti* Eldredge, 1976, **12(2)**: 309–311  
*Periclimenes kororensis* Bruce, 1977, **13(1)**: 33–43  
*Periclimenes tonga* Bruce, 1989, **21(1/2)**: 23–32  
*Petrolisthes borradailei* Kropp, 1984, **19(1/2)**: 96–98  
*Petrolisthes eldredgei* Haig & Kropp, 1988, **20(1/2)**: 171–186  
*Petrolisthes mesodactylon* Kropp, 1984, **19(1/2)**: 91–93  
*Petrolisthes miyakei* Kropp, 1984, **19(1/2)**: 93–95  
*Pylopaguropsis fimbriata* McLaughlin & Haig, 1989, **22(2)**: 164–166  
*Pylopaguropsis garciai* McLaughlin & Haig, 1989, **22(2)**: 162–164  
*Pylopaguropsis kejii* McLaughlin & Haig, 1989, **22(2)**: 150–152

- Pylopaguropsis laevispinosa* McLaughlin & Haig, 1989, **22(2)**: 166–169  
*Pylopaguropsis lewinsohni* McLaughlin & Haig, 1989, **22(2)**: 155–158  
*Pylopaguropsis pustulosa* McLaughlin & Haig, 1989, **22(2)**: 159–162  
*Pylopaguropsis speciosa* McLaughlin & Haig, 1989, **22(2)**: 152–155  
*Sesarma (Parasesarma) palauense* Danforth, 1972, **7(1/2)**: 203–204  
*Sesarmoides novabritannia* Ng, 1989, **21(1/2)**: 181–187  
*Sessiligoga* Grygier, 1990, **23(1)**: 16  
*Sessiligoga elongata* Grygier, 1990, **23(1)**: 16–23  
*Synalpheus readi* Banner & Banner, 1972, **8(1/2)**: 137–140  
*Thalamita miyakei* Danforth, 1972, **7(1/2)**: 188–190  
*Trapezia cheni* Galil, 1984, **19(1/2)**: 123–126  
*Trapezia garthi* Galil, 1984, **19(1/2)**: 126–129  
*Trapezicepon domeciae* Danforth, 1972, **7(1/2)**: 172–176

#### MOLLUSCA

- Bornella anguilla* Johnson, 1984, **19(1/2)**: 17–26

#### ECHINODERMATA

- Allostichaster peleensis* Marsh, 1974, **10(1)**: 96–99  
*Amphilimna tanyodes* Marsh, 1974, **10(1)**: 116–123  
*Amphiura bountyi* Marsh, 1974, **10(1)**: 127–131  
*Asterina corallicola* Marsh, 1977, **13(2)**: 271–275  
*Ctenophoraster marquesensis* Marsh, 1974, **10(1)**: 71–77  
*Devania* Marsh, 1974, **10(1)**: 82–83  
*Devania naviculiforma* Marsh, 1974, **10(1)**: 83–86  
*Ophiarachna megacantha erythema* Marsh, 1974, **10(1)**: 176–179  
*Ophiomastix marshallensis* Devaney, 1978, **14(2)**: 313–319  
*Ophiomastix stenozonula* Marsh, 1974, **10(1)**: 164–171  
*Ophiopeza kingi* Marsh, 1974, **10(1)**: 180–184  
*Ophiothrix (Placophiothrix) westwardi* Marsh, 1974, **10(1)**: 143–149  
*Patinapta taiwanensis* Chao, Rowe & Chang, 1989, **21(1/2)**: 33–38  
*Podosphaeraster pulvinatus* Rowe & Nichols, 1980, **16(2)**: 289–295  
*Thelenota rubralineata* Massin & Lane, 1991, **24(1)**: 57–64 [with color plate]

#### TUNICATA

- Didemnum edmondsoni* Eldredge, 1967, **2(2)**: 208–210  
*Didemnum elikapekae* Eldredge, 1967, **2(2)**: 204–206  
*Didemnum etiolum* Kott, 1982, **18(1)**: 104–105  
*Didemnum gintonicum* Eldredge, 1967, **2(2)**: 206–208  
*Didemnum pele* Eldredge, 1967, **2(2)**: 197–198  
*Diplosoma (Diplosoma) handi* Eldredge, 1967, **2(2)**: 239–242

- Diplosoma (Diplosoma) hiatti* Eldredge, 1967, **2(2)**: 239–240  
*Diplosoma (Lissoclinum) abbotti* Eldredge, 1967, **2(2)**: 243–245  
*Trididemnum banneri* Eldredge, 1967, **2(2)**: 177–178  
*Trididemnum paraclinides* Kott, 1982, **18(1)**: 107–109

## PISCES

- Anampses femininus* Randall, 1972, **8(1/2)**: 176–180  
*Anampses melanurus lineatus* Randall, 1972, **8(1/2)**: 172–175  
*Chaetodon flavocoronatus* Myers, 1980 **16(2)**: 297–303  
*Cirrhitabrus balteatus* Randall, 1989, **21(1/2)**: 210–214  
*Cirrhitabrus johnsoni* Randall, 1989, **21(1/2)**: 217–221  
*Cirrhitabrus katherinae* Randall, 1989, **25(1)**: 108–111  
*Cirrhitabrus luteovittatus* Randall, 1989, **21(1/2)**: 203–210  
*Cirrhitabrus rhomboidalis* Randall, 1989, **21(1/2)**: 215–217  
*Cirrhitabrus rubrimarginatus* Randall, 1992, **25(1)**: 114–118  
*Labropsis allenii* Randall, 1981, **17 (1/2)**: 131–134  
*Labropsis australis* Randall, 1981, **17 (1/2)**: 149–154  
*Labropsis micronesica* Randall, 1981, **17 (1/2)**: 145–149  
*Labropsis polynesica* Randall, 1981, **17 (1/2)**: 135–138  
*Labropsis xanthonota* Randall, 1981, **17 (1/2)**: 138–143  
*Linophryne andersoni* Gon, 1992, **25(2)**: 137–143  
*Microphis cruentus* Dawson & Fourmanoir, 1981, **17 (1/2)**: 113–118  
*Paracheilinus bellae* Randall, 1989, **21(1/2)**: 222–225  
*Plectranthias allenii* Randall, 1980, **16(1)**: 113–116  
*Plectranthias bauchotae* Randall, 1980, **16(1)**: 118–121  
*Plectranthias cirrhitooides* Randall, 1980, **16(1)**: 121–124  
*Plectranthias fourmanoiri* Randall, 1980, **16(1)**: 125–129  
*Plectranthias helena* Randall, 1980, **16(1)**: 131–135  
*Plectranthias inermis* Randall, 1980, **16(1)**: 135–138  
*Plectranthias kamii* Randall, 1980, **16(1)**: 141–145  
*Plectranthias maugei* Randall, 1980, **16(1)**: 152–155  
*Plectranthias megalophthalmus* Fourmanoir & Randall, 1979, **15(1/2)**: 316–318  
*Plectranthias nanus* Randall, 1980, **16(1)**: 159–166  
*Plectranthias retrofasciatus* Fourmanoir & Randall, 1979, **15(1/2)**: 318–321  
*Plectranthias rubrifasciatus* Fourmanoir & Randall, 1979, **15(1/2)**: 321–324  
*Plectranthias taylori* Randall, 1980, **16(1)**: 170–173  
*Plectranthias vexillarius* Randall, 1980, **16(1)**: 173–175  
*Plectranthias wheeleri* Randall, 1980, **16(1)**: 175–179  
*Plectranthias whiteheadi* Randall, 1980, **16(1)**: 179–182  
*Pomachromis guamensis* Allen & Larson, 1975, **11(1)**: 123–126  
*Stolephorzs pacificus* Baldwin, 1984, **19(1/2)**: 151–156

*Taeniooides limicola* Smith, 1964, **1(1/2):** 145–150

## Part 4: General Subject Index

New taxa in boldface

- Abutilon asiaticum* var. *subasperum*, n. var., 2(2): 149**  
***Abutilon asiaticum* var. *supraviride*, n. var., 2(2): 149–150**
- Acanthaster planci* (crown-of-thorns),  
aggregation and migration in responses to food limitation, **9(2)**: 205  
biology and ecology, symposium, **9(2)**: 163–230  
control programs in Guam and the Trust Territories, **9(2)**: 171–180  
monitoring program, **7(1/2)**: 237  
observations around Sesoko Island, Okinawa, **9(2)**: 183  
pearlfish in, **9(1)**: 159  
photosensitivity and spectral sensitivity, **24(2)**: 276  
population levels and control efforts on Pohnpei, **9(2)**: 167–170  
population levels in the Mariana and Caroline Islands, **9(2)**: 165  
presence on the Great Barrier Reef, **14(2)**: 259–272  
recruitment, **9(2)**: 107–212  
recovery of corals, Great Barrier Reef, **9(2)**: 223  
reproduction in Okinawa, **9(2)**: 185–195  
reproductive and larval biology on Great Barrier Reef, **9(2)**: 197–203  
resolution on, **5(2)**: 255–256  
status in Indonesian waters, **9(2)**: 181  
status of reefs before and after, Guam, **24(2)**: 274–275
- Acanthurid* fishes,  
comparative gross morphology, **4(2)**: 324–349  
ecological relationships, **4(2)**: 309–361  
foraging and feeding methods, **4(2)**: 315–324  
habitats, **4(2)**: 310–315
- Actinodendron plumosum*, poisoning, **7(1/2)**: 123–136
- Actinopyga mauritiana*, reproductive biology, **24(2)**: 297
- Adaptationist vs. culture history paradigms, **Suppl. 2**: 5–16
- Agar, quality vs. post-harvest conditions, **24(2)**: 295
- Aggregation behavior, *Diadema*, **5(1)**: 165–171
- Agriculture,  
Japanese, in Micronesia, **4(1)**: 1–18  
*see also* Horticulture.
- Aircraft, role in spread of introduced arthropods, **Suppl. 3**: 1–4, 5–13
- Alcohol,  
and kava studies in Oceania, bibliography, **10(2)**: 299–306  
coconut toddy and transition to manhood, Ujelang, **20(1/2)**: 1–18  
research bibliography, Oceania, **13(2)**: 313–317

- Algae, freshwater,  
    *Chara fibrosa* on Guam, **2(2)**: 133  
    Eniwetok Atoll, **3(2)**: 151–157  
    Rhodophyta, Guam, Chuuk, **24(2)**: 293  
    stromatolite production and deposition, Guam, **24(2)**: 298  
    *Thorea gaudichaudii*, morphology in Guam and Okinawa, **15(1/2)**: 35–39  
    Yap, **23(1)**: 27–40
- Algae, marine benthic,  
    Bacillariophyta,  
        periphytic diatoms on reef flat, **24(2)**: 285–286  
        bibliography, Micronesia, **13(1)**: 85–120  
        bibliography, Micronesia, addendum, **17 (1/2)**: 213–218  
        calcification on reefs, **12(1)**: 27–41  
        catalog, New Caledonia, **21(1/2)**: 53–70  
        checklist, Micronesia, **13(1)**: 85–120  
        checklist, Micronesia, addendum, **17 (1/2)**: 213–218  
    Chlorophyta,  
        additional records, Philippines, **5(1)**: 121–130  
        *Avrainvillea*, revision of genus, **24(2)**: 284–285  
        *Chamaedoris orientalis* in Micronesia, **16(1)**: 21–23  
        chemical defenses of three Chlorophyta, **24(2)**: 297  
        Caroline Islands, **4(2)**: 152–192, 201–206  
        diurnal periodicity in productivity, *Caulerpa*, **24(2)**: 275–276  
        ecology of *Halimeda macroloba*, **7(1/2)**: 27–44  
        effects of light on *Caulerpa racemosa*, **8(1/2)**: 63–86  
        growth of *Enteromorpha*, **24(2)**: 279  
        irradiance vs. morphology and productivity, *Caulerpa*, **24(2)**: 275  
        new *Udotea*, **10(2)**: 243–249  
    *Ulva*,  
        distribution, **4(2)**: 365–368  
        new records, Micronesia, **18 (2)**: 193–194
- Cyanophyta, Caroline Islands, **4(2)**: 192–195  
effect of algal turf on polychaetes, **16(1)**: 43–58  
energetic role in reefs, **12(1)**: 13–21  
Fiji,  
    new records, **14(2)**: 199–207  
    notes and distribution records, **24(2)**: 249–260  
    preliminary checklist, **25(1)**: 41–70  
generation of photosynthetic surface area, **12(1)**: 43–47  
Gilbertese names, **14(2)**: 196  
Marcus I., Bonin Is., **4(2)**: 207–212

*Algae, marine benthic, cont.*

- Nauru, notes, **25(1)**: 123–131
- new records, Philippines, **23(2)**: 181–190
- new species, Caroline Islands, **7(1/2)**: 45–77
- nitrogen cycling on reefs, **12(1)**: 23–26
- Phaeophyta,
  - Dictyota*, morphology vs. habitat, **24(2)**: 294
  - Caroline Islands, **5(1)**: 25–119
  - Guam, **8(1/2)**: 87–115
- Prochlorophyta,
  - Prochloron*–didemnid associations, **18 (1)**: 95–127
    - photosynthesis and productivity, **19(1/2)**: 165–170
- Rhodophyta,
  - Bostrychia* morphology, **15(1/2)**: 13–33
  - Caroline Islands, **5(1)**: 25–119
  - crustose corallines, Guam, **12(2)**: 247–277, **24(2)**: 277–278
  - Delesseriaceae, Southern Japan, **8(1/2)**: 51–61
  - farming *Eucheuma* for carrageenans, **9(1)**: 59–73
  - Galaxaura*,
    - in Micronesia, **16(1)**: 1–19
    - southern Japanese species, **13(1)**: 1–26
  - Gracilaria* and *Polycavernosa*, Micronesia, **20(1/2)**: 187–200
  - Laurencia papillosa*, anatomical characteristics, **24(1)**: 87–94
  - photosynthesis, respiration, *Gracilaria*, **24(2)**: 290–291
  - phycobiliprotein electrophoresis, **24(2)**: 290
  - Rhodopeltis gracilis*, **16(1)**: 23–27
  - role in reefs, **12(1)**: 11–65
  - temperature tolerances, **12(1)**: 49–65
  - thermal pollution indicators, **12(1)**: 49–65
- Algae, marine planktonic,
  - red tide, Guam, water chemistry and hydrology, **24(1)**: 95–108 [with color plate]
  - Takapoto Atoll, **11(2)**: 159–166
- Algae, terrestrial, *Nostoc*, as nitrate source for groundwaters, Guam, **24(2)**: 284
- Allopoloidy, and long-distance dispersal in *Glycine*, **23(1)**: 5–13
- Allostichaster peleensis*, n. sp., **10(1)**: 96–99
- Alpheid shrimp, new *Synalpheus*, **8(1/2)**: 137–140
- Alstonia marquesensis*, n. sp., **8(1/2)**: 46–47
- Alyxia stellata* var. *deckeri*, n. var., **4(2)**: 259
- Alyxia stellata* var. *fatuhibensis*, n. var., **4(2)**: 259
- American Sāmoa, pest control, taro, cultural methods, **Suppl. 3**: 123–127
- Americanist influences on interpretation of Nan Madol, **Suppl. 2**: 5–16
- Amphilimna tanyodes*, n. sp., **10(1)**: 116–123

- Amphipoda, Indo-Pacific,  
    biogeography, **12(1)**: 174–178  
    ecology, **12(1)**: 171–173  
    life history and dispersal, **12(1)**: 173–174  
    review, **12(1)**: 169–181
- Amphiprion melanopus*, reproductive and territorial behavior, **24(2)**: 279–280
- Amphiura bountyi*, n. sp., **10(1)**: 127–131
- Amplexidiscus*, n. gen., **16(1)**: 29–31
- Amplexidiscus fenestrafer*, n. sp., **16(1)**: 31–36
- Anampses*, revision, **8(1/2)**: 151–195 [with color plates]
- Anampses femininus*, n. sp., **8(1/2)**: 176–180
- Anampses melanurus lineatus*, n. ssp., **8(1/2)**: 172–175
- Angelfish,  
    interspecific spawning, pygmy angelfishes, Guam, **17 (1/2)**: 119–124  
    [with color plate]
- Anthocerotophyta,  
    *Ceratophyllum* as introduced pest, New Zealand, **3(1)**: 35  
    key for Guam and Northern Micronesia, **4(1)**: 49–83
- Anthozoa  
    feeding by envelopment, **16(1)**: 37–41  
    venemous, **7(1/2)**: 123–136  
    *see also* Corallimorpharia
- Ants, damage to *Dendrobium* flowers, **24(1)**: 159–160 [with color plate]  
    erratum: **24(2)**: 301
- ‘A‘ou‘a, Tahiti, diet and economic changes, **2(1)**: 8–14
- Aphids, biological control, Marianas Islands, 1911–1988, **22(1)**: 80–81
- Aquaculture, *Eucheuma* farming for carrageenans, **9(1)**: 59–73
- Aquaculture, *Siganus canaliculatus*, **10(2)**: 285–298
- Aquifer water chemistry, Guam, **24(1)**: 109–135
- Arachnids, Ngerukewid Islands Wildlife Preserve, Palau, **24(2)**: 211–215
- Archaeology,  
    fish remains, Kapingamarangi and Nukuoro, **21(1/2)**: 1–22  
    Micronesia, recent advances, **Suppl. 2**: 5–16
- Archeological surveys,  
    Bikini Atoll, **Suppl. 2**: 247–260  
    Guam, southern interior, **Suppl. 2**: 261–273  
    Kwajalein Atoll, **Suppl. 2**: 231–239  
    Palau, **Suppl. 1**: 1–353  
    Pohnpei, **3(2)**: 81–95
- Architecture, stonework,  
    Kosrae, **Suppl. 2**: 303–314  
    Pohnpei, **Suppl. 2**: 187–211, 275–290  
    Yap, **Suppl. 2**: 153–169

- Arthropod pests, introduced, Hawai‘i, **Suppl. 3:** 1–4
- Ascidians,  
algal symbiont photosynthesis and productivity, **19(1/2):** 165–170  
didemnid, Indo-Pacific, revision, **2(2):** 161–261  
didemnid-algal symbioses, **18 (1):** 95–127 [with color plates]  
status of knowledge, **12(1):** 197–198
- Ascothoracican parasite of gorgonian, redescription, **17 (1/2):** 67–76
- Astroidea,  
anatomy, valvatid starfish, *Podosphaeraster*, **18 (1):** 83–93  
asexual reproduction and population maintenance, *Linckia*, **24(2):** 278  
distribution, morphometry, thermal stress, *Linckia*, **24(2):** 278  
*Gomophia egyptiaca*, larval life span, **10(1):** 57–64  
larval behavior and geographic distribution, Indo-West Pacific, **13(2):** 283–296
- Palau, **13(2):** 251–281  
shallow-water Astroidea, southeastern Polynesia, **10(1):** 65–104  
shallow-water Ophiuroidea, southeastern Polynesia, **10(1):** 105–204  
southeastern Polynesia, **10(1):** 65–104  
toxicity to damselfish, **11(1):** 153–154  
*see also*, *Acanthaster*
- Asterospicularia randalli*, n. sp., 12(2): 303–307**
- Australia,  
intertidal sponges, **3(2):** 175–202  
Norfolk Island conservation, **5(2):** 493–496  
*see also* Great Barrier Reef
- Aves,  
candidate endangered species status, Mariana Islands, **17 (1/2):** 184–186  
checklist, Micronesia, **13(1):** 65–81  
dispersal of *Glycine* seeds, **23(1):** 5–13  
extinct and extirpated, Rota, **25(1):** 71–84  
Kermadec Petrel in Eastern Caroline Is., **13(1):** 83  
Namoluk Atoll, **7(1/2):** 234–236  
nesting of Chuuk Greater White-Eye, **21(1/2):** 281–283  
new records,  
Franklin's Gull, Marshall Islands, **14(2):** 361–362  
Guam, **13(1):** 45–48, **14(2):** 361  
Guam and Rota, **17 (1/2):** 192–195  
Mariana Islands, **23(1):** 67–89  
Matsudaira's storm-petrel, Guam, **12(2):** 333; **14(1):** 123  
Micronesia, **13(1):** 57–63, **17 (1/2):** 186–192, 195–198  
Northern Mariana Is., **24(2):** 261–271  
Ngerukewid Islands Wildlife Preserve, Palau, **23(1):** 50–60  
observations, Yap, **13(1):** 49–56

- populations at Eniwetok Atoll, **4(2)**: 295–307  
shorebird seasonality, Guam, **17 (1/2)**: 181–184  
sightings at Ujelang, Marshall Islands, **17 (1/2)**: 198–212  
*Avrainvillea hollenbergii*, n. sp., **7(1/2)**: 52–53, 72–73  
*Avrainvillea*, genus revision, **24(2)**: 284–285
- Bacterial diseases of Solanaceae crops, Guam, **24(2)**: 277  
Barnacles, coral-inhabiting, diversity and biogeography, **12(1)**: 69–82  
Bats, fruit,  
    Guam status, 1972, **8(1/2)**: 141–149  
    Yap, status, reproductive biology and management, **21(1/2)**: 39–51  
Beach deposits, Guam, **14(1)**: 1–11  
Beetles, biological control, Marianas Islands, 1911–1988, **22(1)**: 86–88  
Belau, *see* Palau  
Bibliographies,  
    culture and mental health in the Pacific Islands, **19(1/2)**: 183–245  
    marine benthic algae, Micronesia, **13(1)**: 85–120  
        addendum, **17 (1/2)**: 213–218  
    Pacific studies, **7(1/2)**: 238–239, **14(1)**: 124–125, **16(2)**: 362–363,  
        **18 (2)**: 197–200  
Bikini Atoll,  
    alpheid shrimp, **4(2)**: 261–294  
    archaeological investigations, **Suppl. 2**: 247–260  
Biogeography,  
    birds, prehistoric, **25(1)**: 71–84  
    coral-inhabiting barnacles, **12(1)**: 69–82  
    freshwater red algae, **24(2)**: 293  
    freshwater snails, **21(1/2)**: 93–102  
    molluscs, northern Mariana Islands, **19(1/2)**: 27–55  
    reptiles and amphibians, Mariana Is., **24(2)**: 195–210  
    seed dispersal, *Glycine*, **23(1)**: 5–13  
Biological control,  
    Australia–Oceanic Pacific cooperation, **Suppl. 3**: 83–92  
    *Chromolaena odorata*, distribution and control, **Suppl. 3**: 103–107  
    cultural methods of control, taro pests, **Suppl. 3**: 123–127  
    *Icerya aegyptiaca*, breadfruit mealybug, Pacific atolls. **Suppl. 3**: 117–122  
    introduced pests, Federated States of Micronesia, **Suppl. 3**: 99–101  
    *Lantana camara*, Micronesia, **Suppl. 3**: 71–81, **25(2)**: 217–218  
    Marianas Islands, 1911–1988, **22(1)**: 65–106  
    mosquitos, copepods as hosts for fungus, **19(1/2)**: 57–90  
    Palau Coconut Beetle, **16(2)**: 359–360  
    rats by monitor lizard, **3(1)**: 17–18

- Birds, *see* Aves
- Bivalvia,  
clams, giant,  
distribution, Great Barrier Reef, **20(1/2)**: 215–223, 225–246  
growth of and predation on different size classes, **24(2)**: 282  
larval development, **24(2)**: 278  
oysters, reproductive periodicity of *Saccostrea*, **24(2)**: 287–288
- Boiga irregularis*, Brown Treesnake, sampling techniques, **25(1)**: 23–40
- Bonin Islands,  
ecosystem destruction, **5(2)**: 299–300  
marine benthic algae, Marcus I., **4(2)**: 207–212
- Boodlea trukensis*, n. sp.**, **7(1/2)**: 49–50, 64–65
- Boodeopsis carolinensis*, n. sp.**, **7(1/2)**: 45–47, 58–59
- Bopyrids (Isopoda), new species, **7(1/2)**: 163–177
- Bornella anguilla*, n. sp.**, **19(1/2)**: 17–26
- Bostrychia*, morphology, **15(1/2)**: 13–33
- Breeding behavior, Laysan Albatross, **5(1)**: 173–221
- Brittlestars, *see* Ophiuroidea
- Bryophyta,  
Chuuk, **4(2)**: 213–237  
flora of Guam, additions, **1(1)**: 131–132  
key for Guam and Northern Micronesia, **4(1)**: 49–83
- Bryozoans, status of information, **12(1)**: 157–164
- Bufo marinus*, population dynamics and reproduction, Guam, **24(2)**: 283–284
- Burial patterns,  
Lamotrek, **Suppl. 2**: 75–88  
Yap, **Suppl. 2**: 153–169
- Burial sites,  
Angaur, **Suppl. 1**: 26  
Peleliu, **Suppl. 1**: 33–34
- Burrow defense, *Echinometra mathaei*, **24(2)**: 294
- Butterflyfish, feeding deterrence by soft coral, **24(2)**: 296
- Bwang*, martial arts, Caroline Is., **14(2)**: 139–176
- Calcification, algal, on reefs, **12(1)**: 27–41
- Calcinus argus*, n. sp.**, **18 (2)**: 133–138
- Calcinus guamensis*, n. sp.**, **18 (2)**: 141–146
- Calcinus haigae*, n. sp.**, **18 (2)**: 146–152
- Calcinus hazletti*, n. sp.**, **19(1/2)**: 107–121
- Calcomyza lantanae*, control of lantana, Guam, **25(2)**: 217–218
- Camptandrium rathbunae*, n. sp.**, **7(1/2)**: 200–202
- Canavalia megalantha* var. *falanruwiae*, n. var.**, **11(1)**: 78–79
- Canoemaking, Kapingamarangi, **7(1/2)**: 3

- Canthigaster*, resource allocation among sympatric species, **24(2)**: 292  
*Capparis spinosa*, revision, **2(1)**: 25–45 [with color plate]  
*Cardisoma carnifex*, food preferences and feeding behavior, **21(1/2)**: 274–279  
Caroline Is.,  
    introduced insects, **Suppl. 3**: 15–31  
    *see also* specific states and islands  
Carolinians, fish names, **11(1)**: 1–5  
*Casuarina equisetifolia* var. *souderi*, n. var., **2(2)**: 143  
*Casuarina*, germination in savanna, Guam, **24(1)**: 163  
*Caulerpa racemosa*,  
    diurnal periodicity in productivity, **24(2)**: 275–276  
    effects of irradiance on morphology and productivity, **24(2)**: 275  
    morphology and productivity, irradiance effects, **8(1/2)**: 87–115  
    phenological plasticity, **8(1/2)**: 87–115  
*Centropyge*, interspecific spawning, **17 (1/2)**: 119–124 [with color plate]  
Cephalopoda,  
    Gilbertese names, **14(2)**: 195  
    reproductive behavior, *Sepia latimanus*, **16(2)**: 235–260 [with color plates]  
*Ceramium kororensis*, n. sp., **7(1/2)**: 54–55, 74–75  
*Chaetodon flavocoronatus*, n. sp., **16(2)**: 297–303  
Chamorro (Guam) people, origins, **12(2)**: 203–209; **Suppl. 2**: 403–416  
*Charadrius dubius*, on Guam, **7(1/2)**: 236–237  
Checklists,  
    algae, marine benthic,  
        Micronesia, **13(1)**: 85–120; addendum, **17 (1/2)**: 213–218  
        Fiji, preliminary checklist, **25(1)**: 41–70  
        alpheid and ogyridid shrimps, Philippines and South China Sea, **14(2)**: 215–257  
    birds, Micronesia, **13(1)**: 65–81  
    ferns, Micronesia, **18 (1)**: 23–80;  
        erratum: see back of contents page, **18(2)**  
    fishes,  
        freshwater, Palau, **17 (1/2)**: 107–111  
        Guam, **4(1)**: 95–131  
        Mariana Islands, **21(1/2)**: 115–180  
    flowering plants,  
        dicots, Micronesia, **15(1/2)**: 41–295  
        monocots, Micronesia, **20(1/2)**: 19–129  
    fungi, Mariana Islands, **7(1/2)**: 79–83  
    Gymnosperms, Micronesia, **18 (1)**: 80–82  
    Islands, Pacific Oceanic, checklist and characters, **5(2)**: 327–463  
    marine mammals, Micronesia, **24(2)**: 217–230

- Chemical defense,  
    green algae, intraspecific variation, **24(2)**: 297  
    nudibranchs and prey sponges, **24(2)**: 296–297
- Chlorine-induced oxidants, effects on marine organisms, **24(2)**: 287
- Chlorodesmis dotyi*, n. sp.**, **7(1/2)**: 51–52, 70–71
- Chromolaena odorata***, distribution and control, **Suppl. 3**: 103–107
- Chuuk,  
    agriculture and fishery development under Japanese, **4(1)**: 1–18  
    archeological survey, **10(2)**: 205–206  
    fish names, Satawal, **18 (2)** 1–34  
    freshwater red algae, **24(2)**: 293  
    introduced rodents, **10(1)**: 41–50  
    liverworts, **4(2)**: 239–254  
    marine benthic algae, **4(2)**: 137–206, **5(1)**: 25–119  
    mosses, **4(2)**: 213–237  
    place names, **2(2)**: 95–129  
    population under Japanese, **4(1)**: 13–15  
    resources and social complexity, **Suppl. 2**: 117–124  
    social complexity vs. conflict, **Suppl. 2**: 291–301  
    traditional horticulture, **24(1)**: 40–42  
    women, education and family size, **18 (1)**: 1–21  
    *see also* Namoluk Atoll
- Chuuk Greater White-Eye, **21(1/2)**: 281–283
- Cirrhilabrus***, review of genus, **25(1)**: 99–121 [with color plates]
- Cirrhilabrus balteatus*, n. sp.**, **21(1/2)**: 210–214
- Cirrhilabrus johnsoni*, n. sp.**, **21(1/2)**: 217–221
- Cirrhilabrus katherinae*, n. sp.**, **25(1)**: 108–111
- Cirrhilabrus luteovittatus*, n. sp.**, **21(1/2)**: 203–210
- Cirrhilabrus rhomboidalis*, n. sp.**, **21(1/2)**: 215–217
- Cirrhilabrus rubrimarginatus*, n. sp.**, **25(1)**: 114–118
- Cladophoropsis carolinensis*, n. sp.**, **7(1/2)**: 48–49, 62–63
- Cladophoropsis palauensis*, n. sp.**, **7(1/2)**: 47–48, 60–61
- Clams, giant,  
    distribution, Great Barrier Reef, **20(1/2)**: 215–223, 225–246  
    growth of and predation on different size classes, **24(2)**: 282  
    larval development, **24(2)**: 278
- Classification, inland water ecosystems, **25(2)**: 155–173
- Clibanarius humilis***, toxicity of pesticides, **24(2)**: 281
- Climate,  
    and dipterocarp phenology, **9(1)**: 75–96  
    effect on plant life-form, **3(1)**: 19–30
- Clothing, changes after typhoon, Ulithi, **1(1)**: 22–25
- Coconut wine, and manhood, Ujelang Atoll, **20(1/2)**: 1–18

- Coelenterates,  
    Gilbertese names, **14(2)**: 194  
    *see also* Coral, Anthozoa, Scyphozoa
- Coelomomyces*, fungal parasite of mosquito larvae, in copepods, **19(1/2)**: 57–90
- Commonwealth of the Northern Mariana Islands,  
    *see* Mariana Islands, Northern Mariana Islands; Rota, Tinian, Saipan
- Community structure and distribution, lagoon fishes, Guam, **11(1)**: 127–148
- Conflict, vs. resources, as basis for social complexity, Chuuk and Kosrae, **Suppl. 2**: 291–301, 303–316
- Congress of Micronesia, **8(1/2)**: 13–22
- Coniferophyta,  
    checklist, Micronesia, **18 (1)**: 80–82  
    flora, Guam, **6(1/2)**: 66–68  
        additions, **21(1/2)**: 229–230
- Conservation,  
    coastal and freshwater, **3(1)**: 31–35  
    coral reefs, **5(2)**: 307–310  
    flora, Micronesia, **2(1)**: 61–65  
    International Biological Programme, Technical Meeting, report, **5(2)**: 223–244  
    international program for the Pacific Islands, **3(1)**: 51–54  
    Galápagos Is., **5(2)**: 271–273, 275–281  
    Japanese Is., **5(2)**: 295–302  
    Pacific Islands, resolutions, **5(2)**: 245–262  
    Trust Territory Islands, **5(2)**: 303–306
- Conus sponsalis*, survival after shell damage, **16(2)**: 229–234
- Cook Islands,  
    new and noteworthy vascular plants, **23(1)**: 1–4  
    vascular plants, **8(1/2)**: 43–49
- Copepods, from microhabitats, **19(1/2)**: 57–90
- Coral,  
    and sand, for construction, resolution on, **5(2)**: 254  
    antipatharian, new endoparasite, Guam, **23(1)**: 15–25  
    distribution after *Acanthaster* outbreak, **9(2)**: 213–222  
    distribution before *Acanthaster* outbreak, Guam, **9(1)**: 119–158  
    growth rate, effect of damselfish nitrogen excretion, **24(2)**: 293–294  
    method for study during early stages of growth, **12(2)**: 319–322  
    obligate commensal decapods, **1(1)**: 137–144  
    octocorals, Palau, **10(2)**: 257–271  
    productivity, role of green fluorescent pigment, **5(2)**: 313  
    reproductive status, Guam corals, **21(1/2)**: 272–274  
    settlement on plates, **24(2)**: 283  
    stylasterine, new species from Hawai‘i, **14(1)**: 83–87

- taxonomic problems, **12(1)**: 151–156  
*see also* Soft corals
- Coral islands as ecological laboratories, **3(1)**: 45–49
- Coral reefs,  
artificial, fish communities, **24(2)**: 286–287  
before and after crown-of-thorns outbreak, **24(2)**: 274–275  
biogeography, **5(2)**: 317–322  
changes in communities since Pleistocene, **5(2)**: 323–326  
food webs, apogonid fish, **11(2)**: 185–198  
geological changes, **12(1)**: 1–9  
geological history, Guam, **14(1)**: 1–11  
Holocene, stable isotope variation, **22(2)**: 173–189  
Indo-Pacific, biology, symposium, **12(1)**: 1–199  
invasion by tilapia, **16(2)**: 349–355  
long-term recovery after crown-of-thorns, **24(2)**: 289–290  
nitrogen cycle, **12(1)**: 23–26  
primary colonization of artificial substrata, **24(2)**: 283  
reef physiography, Guam, before crown-of-thorns outbreak, **9(1)**: 119–158  
roles of benthic algae, **12(1)**: 11–65  
symbiotic associations, **12(1)**: 67–148  
symposium, Indo-Pacific Tropical Reef Biology, **12(1)**: 1–199  
recommendations, **12(1)**: 199
- Coral Sea islands, conservation, **5(2)**: 493–496
- Corallimorpharia,  
feeding by envelopment, **16(1)**: 37–41  
new genus, **16(1)**: 29–36
- Corchorus torresianus* var. *yunckeri*, n. var., **2(2)**: 147
- Cottoniella amamiensis*, n. sp., **8(1/2)**: 57–59
- Crabs,  
brachyuran, and scleractinian corals, **12(1)**: 99–110  
hapalocarcinind, feeding biology, **24(2)**: 288–289  
Homolidae, **16(2)**: 271–277, 279–287  
land, food preferences and feeding behavior, **21(1/2)**: 274–279  
lithodid, new, Guam, **12(2)**: 309–315  
new and rare, Palau Islands, **7(1/2)**: 185–213  
new *Sesarmoides*, Papua New Guinea, **21(1/2)**: 181–187  
pagurid,  
*Calcinus* in Mariana Islands, **18 (2)**: 121–162  
new *Pylopaguropsis*, **22(2)**: 123–171  
shallow water species, Mariana Is., **24(2)**: 285

- porcellanid,  
    new and redescribed, **20(1/2)**: 171–186  
    new species, Mariana Islands, **19(1/2)**: 91–106
- portunid, zoeal larvae, **15(1/2)**: 309–314
- sesarmine, larval development, **21(1/2)**: 71–91
- toxic, Philippines, **7(1/2)**: 179–183
- Craniometric and odontometric measures, Micronesians and Asians, **Suppl. 2**:  
    323–348, 363–372, 373–401
- Craspedacusta sowberryi*, on Guam, **7(1/2)**: 229–230
- Crinoids, ecology and distribution, Palau and Guam, **16(1)**: 59–99 [with color plates]
- Crocodiles,  
    attack, Palau, **1(1)**: 151–153  
    resolution on, **5(2)**: 262  
    size, Palau, **2(1)**: 87
- Crown-of-thorns starfish, *see Acanthaster*
- Crustaceans,  
    copepods, from microhabitats, **19(1/2)**: 57–90  
    Gilbertese names, **14(2)**: 195–196  
    ostracod, pelagic, larval development, **24(2)**: 276  
    *see also* Amphipoda, Decapoda, Crabs, Shrimp
- Ctenophoraster marquesensis*, n. sp., **10(1)**: 71–77
- Cultural diversity, Guam, attitudes and reactions to typhoon, **2(1)**: 15–23
- Cultural institutions, Palauan migrants on Guam, **17 (1/2)**: 29–45
- Cuttlefish,  
    reproductive behavior, **16(2)**: 235–260 [with color plates]  
    *see also* Cephalopods
- Cycadophyta,  
    checklist, Micronesia, **18 (1)**: 80  
    flora, Guam, **6(1/2)**: 65–66
- Cyperaceae, Micronesia, **1(1)**: 59–112; **20(1/2)**: 165–170
- Cyrtophora moluccensis*, web, reproduction and commensals, **10(1)**: 51–55
- Dactylia infundibuliformis*, n. sp., **7(1/2)**: 104–105, 119
- Damselfish, *see* Pomacentrid fishes
- Dancing, Kapingamarangi, **7(1/2)**: 6
- Dascyllus aruanus*,  
    effect of depth-charge chemicals, **11(1)**: 109–113  
    toxicity of starfish to, **11(1)**: 153–154  
    use of coral for cover, **24(2)**: 274
- Decapoda,  
    diversity on Pacific coral reefs, **12(1)**: 183–185  
    Eniwetok Atoll, **1(1)**: 137–144

- obligate coral commensals, **1(1)**: 137–144  
*see also*, Crabs, Shrimp
- Delesseriaceae (Rhodophyta), Southern Japan, **8(1/2)**: 51–61
- Demania toxica*, n. sp., 7(1/2): 179–183**
- Democracy,  
and traditional values, **9(1)**: 1–10  
Philippines vs. Ponape, **9(1)**: 1–10
- Demography, humans, Yap, **5(1)**: 1–24
- Demospongiae, deep water, New Zealand, **8(1/2)**: 125–136
- Depth-charge chemicals, toxicity to *Dascyllus*, **11(1)**: 109–113
- Derbesia padinae*, n. sp., 7(1/2): 50–51, 68–69**
- Dermochelys coriacea* ecology and conservation, Malaysia, **3(1)**: 37–43
- Desmodium heterocarpon* var. *strigosum* f. *substrigosum*, n. f., 2(2): 144**
- Desmodium purpureum*, identity, **18 (2)**: 195–196
- Devania*, n. gen., 10(1): 82–83**
- Devania naviculiforma*, n. sp., 10(1): 83–86**
- Diadema*, aggregation behavior, **5(1)**: 165–171
- Diatoms, reef periphyton, Guam, **24(2)**: 285–286
- Dicotyledons, checklist, Micronesia, **15(1/2)**: 41–295  
*see also* Vascular plants
- Dictyota*, morphology vs. habitat, **24(2)**: 294
- Didemnid-algal symbioses, **18 (1)**: 95–127 [with color plates]
- Didemnum edmondsoni*, n. sp., 2(2): 208–210**
- Didemnum elikapekae*, n. sp., 2(2): 204–206**
- Didemnum gintonicum*, n. sp., 2(2): 206–208**
- Didemnum pele*, n. sp., 2(2): 197–198**
- Diet and assimilation efficiency, *Acanthurus lineatus*, **24(2)**: 295
- Diet, human,  
changes after typhoon, Ulithi, **1(1)**: 27–30  
changes and economics, Tahiti, **2(1)**: 1–14  
nutrition bibliography, Micronesia, **8(1/2)**: 197–210
- Diet, reef fishes, Madagascar, **11(2)**: 185–198
- Dinoflagellates, red tide, Guam, **24(1)**: 95–108 [with color plate]
- Diplosoma (Diplosoma) handi*, n. sp., 2(2): 239–242**
- Diplosoma (Diplosoma) hiatti*, n. sp., 2(2): 239–240**
- Diplosoma (Lissoclinum) abbotti*, n. sp., 2(2): 243–245**
- Dipterocarp forest, phenology, Malaysia, **9(1)**: 75–96
- Diseases, human, spread of insect vectors, **Suppl. 3**: 33–39
- Diseases, plant, recent introductions to Guam, **Suppl. 3**: 41–45
- Disinsectization, resolution, **Suppl. 3**: vii
- Dispersal,  
and allopoloidy in *Glycine*, **23(1)**: 5–13  
insects, via aircraft, etc., **Suppl. 3**: 1–4, 5–13, 15–31

- Lantana camara* on Pacific islands, **10(1)**: 17–39  
oceanic barriers, molluscs, **19(1/2)**: 27–55  
small mammals, **10(1)**: 41–50  
tropical seeds and fruits to Japan, **20(1/2)**: 201–213
- Distichopora (Haplomerismos) anceps*, n. sp.**, **14(1)**: 83–87  
Divorce, remarriage, and fertility, Yap, **10(2)**: 237–242  
Dolphins, Micronesia, annotated checklist, **24(2)**: 217–223  
Drake, Sir Francis, landfall in Carolines vs. Marianas, **10(1)**: 7–11  
Dugong,  
    in Micronesia, **24(2)**: 224–225  
    resolution on, **5(2)**: 262
- Earthworm, *Pheretima sedgwicki* complex, **8(1/2)**: 117–124  
East Pacific Islands, check list and characters, **5(2)**: 336–346  
Echinoderms,  
    embryo development, effects of temperature, **24(2)**: 276–277  
    epizoic, **12(1)**: 111–117  
    Gilbertese names, **14(2)**: 196  
    new records, Guam, **25(2)**: 201–216 [with color plate]  
    status of knowledge, **12(1)**: 193–195  
    *see also* Asteroidea, Echinoidea, Holothuroidea, Ophiuroidea
- Echinoidea,  
    aggregation behavior, **5(1)**: 165–171  
    burrow defense, **24(2)**: 294
- Echiuran worms, Guam, **7(1/2)**: 137–151  
Education, women, and family size, Chuuk, **18 (1)**: 1–21  
Egg hatching, *Syngnathoides biaculeatus*, **10(2)**: 279–283  
El Niño,  
    periodic droughts, **Suppl. 2**: 5–16, 33–45, 247–260, 291–301  
    sea level fluctuations, **11(2)**: 227–243
- Elysia* from Guam, **14(1)**: 89–113  
Embryo development, echinoderms, effects of temperature, **24(2)**: 276–277  
Endangered species, status of candidate bird, Mariana Islands, **17 (1/2)**: 184–186  
Endemic flora, survival, **1(1)**: 113–122  
Enewetak Atoll,  
    alpheid shrimp, **4(2)**: 261–294  
    bird populations, **4(2)**: 295–307  
    brittlestar habitat and feeding, **19(1/2)**: 131–149  
    didemnid ascidians, **2(2)**: 161–261  
    fishes inhabiting nuclear test craters, **11(2)**: 205–217  
    Marine Biological Laboratory, **2(2)**: 265–267  
    nitrogen cycle on reef, **12(1)**: 23–26  
    obligate commensal decapods, **1(1)**: 137–144

*Enewetak Atoll, cont.*

- polychaete refuges on reef, **16(1)**: 43–58
- presence of *Thelenota anax*, **14(1)**: 115–122
- primary production, **3(2)**: 135–149
- shallow water hydroids, **11(1)**: 85–108
- small freshwater organisms, **3(2)**: 151–157
- spawning of mullet, *Crenimugil crenilabis*, **11(2)**: 219–225
- Spirorbis* polychaetes, **5(1)**: 151–153
- typhoon effects on intertidal gasteropod populations, **16(2)**: 215–228
- Enteromorpha clathrata*, environmental influences on growth, **24(2)**: 279
- Environmental education, resolutions on, **5(2)**: 251–252
- Epiphytes, on seagrass, influence on herbivory by rabbitfish, **24(2)**: 296
- Epistemology, Polynesian, **14(2)**: 127–137
- Erionota thrax*, Banana skipper, pest status, Papua New Guinea, **Suppl. 3**: 93–98
- Ethnic diversity, Guam,
  - attitudes and reaction to typhoon, **2(1)**: 15–23
  - perception of similarities and differences at U. Guam, **7(1/2)**: 19–26
- Ethnic identity, Palauan migrants on Guam, **17 (1/2)**: 29–45
- Ethnoarchaeology, Pohnpei, **Suppl. 2**: 89–97
- Ethnobotany, classification of flora, Woleai, **10(1)**: 1–5
- Etisus odhneri*, n. sp., 7(1/2): 193–195**
- 'Eua I., Tonga, endemic flora, **1(1)**: 113–122
- Eucheuma*,
  - farming for carrageenans, **9(1)**: 59–73
  - mariculture, Tabuaeran [Fanning Atoll], **18 (2)**: 35–44
- Euphorbia prostrata* var. *caudirhiza*, n. var., 25(2): 189**
- Eurypon nigra*, n. sp., 3(2): 167–168**
- Extramarital relationships and population maintanence, Guam, **23(2)**: 119–129
- Fais, Yap, native place names, **14(1)**: 69–82
- Fanning Atoll, *see* Tabuaeran
- Farmerfish, diet, intestinal morphology, and nitrogen assimilation, **24(2)**: 284
  - see also* Pomacentrid fishes
- Federated States of Micronesia,
  - see* Micronesia, Federated States of; Micronesia; Chuuk, Kosrae, Pohnpei, Yap
- Feeding deterrence, protection of mealybug by *Leucaena leucocephala*, **16(2)**: 360–362
- Ferns, *see* Polypodiophyta
- Fiji,
  - copepods, from microhabitats, **19(1/2)**: 57–90
  - marine benthic algae, notes and distribution records, **24(2)**: 249–260
  - marine benthic algae, preliminary checklist, **25(1)**: 41–70

- Finger prints, Micronesians of Yap, **1(1)**: 55–58  
Fire, role in *Casuarina* success in savanna, Guam, **24(1)**: 163  
Fish, *see* Pisces  
Fisheries,  
    deepwater shrimp, fishery potential, **24(2)**: 282–283  
    deep water snappers, Guam, **24(2)**: 276  
    fishing pressure on reef flat fisheries, Guam, **24(2)**: 290  
    Japanese, in Micronesia, **4(1)**: 1–18  
    juvenile siganid harvest, Guam, **12(2)**: 323–325  
    juvenile siganid harvest, Philippines, **22(2)**: 191–195  
    Kapingamarangi, **7(1/2)**: 3–5  
    management, spiny lobster, **21(1/2)**: 103–114  
    pelagic, and ocean temperature, **23(2)**: 131–138  
    rabbitfish, mariculture potential, **24(2)**: 280–281  
    reproductive patterns, surgeonfish, **24(2)**: 294  
    resolutions on, **5(2)**: 252–254  
    traditional law of the sea, **13(2)**: 121–127  
    traditional, Rainbow Runner, Kapingamarangi and Nukuoro, **21(1/2)**: 1–22  
    women's, Kosrae, past and present, **25(1)**: 1–22  
Flies, biological control, Marianas Islands, 1911–1988, **22(1)**: 88–89  
Flowering, dipterocarps, Malaysia, **9(1)**: 75–96  
Flowering plants, *see* Magnoliophyta  
Food webs, apogonid fish in, **11(2)**: 185–198  
Foraging methods, Acanthuridae, **4(2)**: 309–361  
Foraminifera, distribution and recruitment, Guam, **24(2)**: 287  
Forest,  
    canopy, structure and disturbance, Saipan, **25(1)**: 85–97  
    communities, 'Eua, Tonga, **1(1)**: 113–122  
    communities, Micronesia, **3(1)**: 19–30  
    disturbance, Tongatapu, Tonga, **21(1/2)**: 279–281  
    dynamics, **1(1)**: 113–122  
    limestone, ecological characteristics, Saipan, **25(1)**: 85–97  
    native upland, Kosrae, **18 (2)**: 109–120  
Fouling communities, species and biomass, **24(2)**: 283, 286  
French Polynesia,  
    diet changes and economics, Tahiti, **2(1)**: 1–14  
Marquesas Islands,  
    Asteroidea, **10(1)**: 65–104  
    vascular plants, **8(1/2)**: 43–49  
phytoplankton and primary productivity, Takapoto Atoll, Tuamotu Is.,  
**11(2)**: 159–166

- Freshwaters,  
algae, stromatolite production and deposition, Guam, **24(2)**: 298  
algae, Yap, **23(1)**: 27–40  
copepods, from microhabitats, **19(1/2)**: 57–90  
ecosystem classification of inland waters, **25(2)**: 155–173  
invertebrates, distribution and production, **24(2)**: 295  
medusa, Guam, **7(1/2)**: 229–230  
neritid snails, Hawai‘i, **14(2)**: 209–214  
organisms, Eniwetok Atoll, **3(2)**: 151–157  
ponds, water chemistry, Tarawa Atoll, **21(1/2)**: 257–266  
snails, biogeography, **21(1/2)**: 93–102  
snails, Hawai‘i and Guam, **5(1)**: 155–164  
streams, effect of land clearing, Guam, **24(2)**: 289  
*Freycinetia*, eastern Polynesian species, **17 (1/2)**: 47–58  
Frogs, tree, *Litoria thesaurensis* complex, **15(1/2)**: 325–333  
Fungi,  
Mariana Islands, checklist, **7(1/2)**: 79–83  
*Pythium acanthicum* in Guam soil, **4(2)**: 363
- Gaferut, in old accounts and maps, **11(1)**: 7–33  
Galápagos Is.,  
conservation, rapport sur, **5(2)**: 271–273  
conservation problems, **5(2)**: 275–281  
vegetation patterns and dynamics on volcanoes, **3(2)**: 129–134  
*Galaxaura* in Micronesia, **16(1)**: 1–19  
Games, past and present, Kapingamarangi, **7(1/2)**: 8–16  
Gasteropoda,  
*Conus sponsalis*, survival after shell damage, **16(2)**: 229–234  
freshwater nerites, **5(1)**: 155–164  
freshwater *Pomacea*, spread in Asia, **Suppl. 3**: 51–62 [with color plates]  
Giant African Snail, Ogasawara Is., **Suppl. 3**: 109–116  
Gilbertese names, **14(2)**: 194–195  
intertidal populations, before and after typhoon, **16(2)**: 215–228  
stream neritids of Oceania, **21(1/2)**: 93–102  
survival after shell damage, **16(2)**: 229–234  
*Trochus*, growth, abundance, distribution, Guam, **24(2)**: 285  
*Turbo* spp., toxicity, **7(1/2)**: 153–162  
Genetic variation,  
*Abudefduf* spp., **24(2)**: 278–279  
*Macrobrachium lar*, **24(2)**: 291  
Geographic systems, native, Fais, **14(1)**: 69–82  
Gilbert Islands, *see* Kiribati  
*Glycine tabacina*, distribution, West Central Pacific, **17 (1/2)**: 59–65

- Gobies, resource partitioning by two sympatric species, **24(2)**: 277  
*Gomophia egyptiaca*, larval life span, **10(1)**: 57–64  
Gorgonian parasite, *Gorgonolaureus bikiniensis*, redescription, **17 (1/2)**: 67–76  
*Gorgonolaureus bikiniensis* redescription, **17 (1/2)**: 67–76  
*Gracilaria* spp.,  
    agar quality vs. post-harvest conditions, **24(2)**: 295  
    photosynthesis and respiration, **24(2)**: 290–291  
    pollution by power plant stack gas sulfur scrubber, **24(2)**: 291  
    species in Micronesia, **20(1/2)**: 187–200  
**Grapsicepon sinensis**, n. sp., **7(1/2)**: 163–167  
Grasslands, endemic, **24(1)**: 7–8  
Great Barrier Reef,  
    *Acanthaster* survey, 1975, **14(2)**: 259–272  
    conservation of islands and reefs, **5(2)**: 493–496  
    infaunal polychaetes, **15(1/2)**: 297–307  
    *Tridacna* spp., **20(1/2)**: 215–223, 225–246  
Groundwater, blue-green algae as nitrate source, Guam, **24(2)**: 284  
Guam,  
    archeological survey, southern, **Suppl. 2**, 261–273  
    bacterial diseases of Solanaceae crops, **24(2)**: 277  
    bats, **8(1/2)**: 141–149  
    Biological control, Palau Coconut Beetle, **16(2)**: 359–360  
    bird records, **13(1)**: 45–48  
    *Bostrychia* species, **15(1/2)**: 13–33  
    Bryophyta, **4(1)**: 49–83  
    butterfly fishes, distribution on contrasting reefs, **24(2)**: 277  
    *Capparis* species, **2(1)**: 25–45 [with color plate]  
    *Caulerpa* phenological plasticity, **8(1/2)**: 87–115  
    Chamorro fish names, **23(2)**: 93–117  
    Community structure and distribution, lagoon fishes, **11(1)**: 127–148  
    comparative ecology of two *Pomacentrus* spp., **24(2)**: 275  
    control of lantana by *Calcomyza lantanae*, **25(2)**: 217–218  
    coral reproductive status, **21(1/2)**: 272–274  
    crustose coralline algae, **24(2)**: 277–278  
    cuttlefish reproduction, **16(2)**: 235–260 [with color plates]  
    deepwater snapper fishery, **24(2)**: 276  
    diatoms, periphytic on reef flat, Guam, **24(2)**: 285–286  
    echinoderms new records, **25(2)**: 201–216 [with color plate]  
    ecology and behavior of pearlfishes, **24(2)**: 274  
    fish abundance at artificial reef, **24(2)**: 286–287  
    fishes, checklists, **4(1)**: 95–131; **7(1/2)**: 215–228; **11(1)**: 115–121  
    fishes, new records, **16(2)**: 305–347  
    fishing pressure impact on reef flat fisheries, **24(2)**: 290

*Guam, cont.*

- flower color of *Strongylodon lucidus*, **24(1)**: 161 [with color plate]  
foraminifera, distribution and recruitment, **24(2)**: 287  
freshwater algae, **15(1/2)**: 35–39  
freshwater jellyfish, **7(1/2)**: 229–230  
freshwater nerite snails, **5(1)**: 155–164  
freshwater red algae, **24(2)**: 293  
groundwater, blue-green algae as nitrate source, **24(2)**: 284  
hawkfish record, **21(1/2)**: 267–272  
historical demography and microevolution, **Suppl. 2**: 417–430  
*Holothuroidea*, **13(2)**: 217–250 [with color plates]  
influenza pandemic, effect on births and deaths, **19(1/2)**: 1–9  
interspecific spawning of angelfishes, **17 (1/2)**: 119–124  
intertidal polychaetes, **13(2)**: 199–215  
introduced rodents, **10(1)**: 41–50  
land clearing effect on watershed, **24(2)**: 289  
latte site and mortuary diversity, **24(2)**: 169–194  
mangrove crab, ecology, **24(2)**: 281  
mariculture potential, rabbitfish, **24(2)**: 280–281  
marine benthic Phaeophyta, **8(1/2)**: 87–115  
new anchovy, **19(1/2)**: 151–156  
new butterfly fish, **16(2)**: 297–303  
new deepwater cushion star, **16(2)**: 289–295  
new lithodid crabs, **12(2)**: 309–315  
new orchid record, **19(1/2)**: 171–172 [with color plate]  
new orchid, **24(1)**: 81–85 [with color plate]  
new pomacentrid fish, **11(1)**: 123–126  
new soft coral, **12(2)**: 303–307  
nutrient chemistry, coastal waters, **24(1)**: 109–135  
occurrence of *Leucaena insularum*, **2(1)**: 67–70  
occurrence of Ring Neck Plover, **7(1/2)**: 236–237  
ornamental plants as weeds, **Suppl. 3**: 47–50  
petroglyphs, **4(1)**: 39–48 [with color plate]  
plant diseases recently introduced, **Suppl. 3**: 41–45  
prehistoric use of the interior, **Suppl. 2**: 261–273  
Rail, breeding season, **4(1)**: 133–135  
red tide (“Blood of Sanvitores”), **24(1)**: 95–108 [with color plate]  
reproductive patterns, surgeonfish, fishery implications, **24(2)**: 294  
sea level fluctuations, and mass mortalities of reef animals, **11(2)**: 227–  
243  
shallow-water crinoids, **16(1)**: 59–99 [with color plates]  
shark records, **9(1)**: 159–160  
shorebirds, seasonality and abundance, **17 (1/2)**: 181–184

- soft corals, **24(2)**: 281  
soil survey, **2(1)**: 77–85  
sources of introduced pests, post World War II, **Suppl. 3**: 5–13  
terrestrial zonation, **12(2)**: 283–302, **24(2)**: 280  
tidepool goby ecology, **19(1/2)**: 157–164  
toxic encrusting sponge, **9(2)**: 237–242  
*Trochus*, growth, abundance, distribution, **24(2)**: 285  
two species of *Homola*, **16(2)**: 271–277  
vascular plant records, **21(1/2)**: 227–255  
vascular plants, manual, **6(1/2)**: 1–659  
zooplankton, temporal variation, Apra Harbor, **24(2)**: 292–293
- Guam Rail, breeding season, **4(1)**: 133–135  
Gymnosperms, checklist, Micronesia, **18 (1)**: 80–82
- Habitat, effect on *Dictyota* morphology, **24(2)**: 294  
Habitats, reptiles, Rota, **23(2)**: 153–166  
***Halichondria coerulea*, n. sp., 3(2): 165–166**  
*Halimeda macroloba*, ecology on Guam, **7(1/2)**: 27–44  
*Halobates*, Micronesia, **17 (1/2)**: 97–106  
*Halodule pinifolia*, occurrence in Palau, **16(2)**: 357–363  
*Halodule uninervis*,  
    browsing patterns of herbivorous fishes, **24(2)**: 294–295  
    epiphytized or not, assimilation by rabbitfish, **24(2)**: 296
- Hawai‘i,  
    *Capparis* species, **2(1)**: 25–45 [with color plate]  
    didemnid ascidians, **2(2)**: 161–261  
    fishes, Acanthuridae, ecological relationships, **4(2)**: 309–361  
    freshwater nerite snails, **5(1)**: 155–164  
    introduced arthropod pests, **Suppl. 3**: 1–4  
    Laysan Albatross, breeding behavior, Midway, **5(1)**: 173–221  
    mollusc biogeography, **19(1/2)**: 27–55  
    neritid snails, **14(2)**: 209–214  
    new deep water coral, **14(1)**: 83–87  
    new hermit crabs, with a key to *Calcinus*, **19(1/2)**: 107–121  
    sponges, **3(2)**: 159–174  
        vegetation patterns and dynamics on volcanoes, **3(2)**: 129–134
- Heavy metals, in freshwater ponds, Tarawa Atoll, **21(1/2)**: 257–266  
Helen Reef (Palau), marine algae, **4(2)**: 137–206, **5(1)**: 25–119  
Herbivory,  
    effect on reef algal production, **3(2)**: 135–149  
    gut content quantification, fishes, **4(2)**: 369–371
- Heterocarpus* spp., fishery potential, Guam, **24(2)**: 282–283

- Historical maps, Carolines, **11(1)**: 7–33  
Holothuroidea,  
distribution and abundance, Saipan, **24(2)**: 295  
ecology of commensal pearlfishes, **24(2)**: 274  
fission and population size, **24(2)**: 281–282  
new *Thelenota*, Eastern Indo-Malayan Archipelago, **24(1)**: 57–64 [with color plate]  
reproductive biology, *Actinopyga mauritiana*, **24(2)**: 297  
shallow-water, Guam, **13(2)**: 217–250 [with color plates]  
synaptid, new *Patinapta*, Taiwan, **21(1/2)**: 33–38  
*Thelenota anax* from Enewetak Atoll, **14(1)**: 115–122
- Homola dickinsoni*, n. sp., 16(2): 274–277**
- Hong Kong, *Bostrychia* species, **15(1/2)**: 13–33  
Hornworts, *see*, Anthocerophyta  
Horticulture, traditional, high-island, **24(1)**: 1–56  
Human population, *see* Population, human  
Hybridization, angelfishes, **17 (1/2)**: 119–124 [with color plate]  
Hydroids, shallow water, Enewetak, **11(1)**: 85–108
- Hymenocera picta*,  
biology, **9(2)**: 225–230  
smell and pair bonding, **9(2)**: 231–236
- Hypercepon*, n. gen., 7(1/2): 167**
- Hypercepon guamensis*, n. sp., 7(1/2): 167–169**
- Hypsophrys williamsi*, n. sp., 16(2): 282–286**
- Icerya aegyptiaca*, breadfruit mealybug, biocontrol, Pacific atolls. **Suppl. 3:**  
117–122
- Ifaluk Atoll,  
alpheid shrimp, **4(2)**: 261–294  
didemnid ascidians, **2(2)**: 161–261  
marine algae, **4(2)**: 137–206, **5(1)**: 25–119  
rat control by monitor lizard, **3(1)**: 17–18
- Indigenous knowledge,  
epistemology, Antua, **14(2)**: 127–137  
ethnohistory, Pohnpei, **Suppl. 2**: 89–97  
fishing Rainbow Runner, Kapingamarangi and Nukuoro, **21(1/2)**: 1–22  
geographic systems, Fais, **14(1)**: 69–82  
healers, herbs and methods, Guam, **14(1)**: 13–67  
horticulture, high islands, **24(1)**: 1–56  
law of the sea and fishery management, **13(2)**: 121–127  
law of the sea, Micronesia, **13(2)**: 121–127  
making coconut wine (*jekero*), Marshall Is., **20(1/2)**: 1–18  
martial arts, Caroline Is., **14(2)**: 139–176

- medicine, case study, Guam, **14(1)**: 13–67  
time keeping and resource management, **12(2)**: 211–246  
time reckoning, and resource utilization, **12(2)**: 211–246  
uses of vascular plants,  
    Puluwat, **22(1)**: 23–63  
    Ulithi, **13(2)**: 129–190  
women's fishing, Kosrae, **25(1)**: 1–22  
    *see also*, Oral traditions  
Infertility, Guam women, **23(2)**: 119–129  
Influenza, 1918 pandemic, and human population dynamics, Guam, **19(1/2)**: 1–9  
Insects,  
    as human disease vectors, **Suppl. 3**: 33–39  
    automated identification, in flight, **Suppl. 3**: 129–133  
    introduced to Caroline and Marshall Is., **Suppl. 3**: 15–31  
    marine, *Halobates*, **17 (1/2)**: 97–106  
    pest status of *Erionota thrax*, **Suppl. 3**: 93–98  
    spread via aircraft, **Suppl. 3**: 1–4, 5–13  
    spread via ornamental plants, **Suppl. 3**: 5–13  
International Program in the Tropical and Far Western Pacific, initial site studies,  
    **5(2)**: 283–293  
Introduced pests,  
    arthropods, Hawai'i, **Suppl. 3**: 1–4  
    banana skipper, Papua New Guinea, **Suppl. 3**: 93–98  
    biological control, Federated States of Micronesia, **Suppl. 3**: 99–101  
    Caroline Is., **Suppl. 3**: 15–31  
    Guam, post World War II, **Suppl. 3**: 5–13  
    Marsall Is., **Suppl. 3**: 15–31  
    Poinciana looper, Guam, **10(2)**: 273–278  
    pre-contact Hawai'i, **Suppl. 3**: 1  
    vector-borne diseases, **Suppl. 3**: 33–39  
Introduced species,  
    *Eucheuma*, Tabuaeran [Fanning Atoll], mariculture, **18 (2)**: 35–44  
    *Lantana camara* on Pacific islands, **10(1)**: 17–39  
    Mozambique tilapia, Tabuaeran [Fanning Atoll], **16(2)**: 349–355  
    reptiles and amphibians, Mariana Is., **24(2)**: 203–205  
    submerged plants, in lakes, **3(1)**: 31–35  
Invertebrates, freshwater, distribution and production, **24(2)**: 295  
*Ipomoea indica* f. *albiflora*, n. f., **2(2)**: 139–141  
*Ipomoea indica* var. *hosakae*, n. var., **2(2)**: 151  
Irradiance,  
    vs. diurnal periodicity in productivity, *Caulerpa*, **24(2)**: 275–276  
    vs. morphology and productivity, *Caulerpa*, **24(2)**: 275  
Island ecosystems, symposium, **3(1)**: 1–54

- Islands,  
    New Zealand Offshore, nature conservation **5(2)**: 465–491  
    Pacific Oceanic, checklist and characters, **5(2)**: 327–463
- Isopods, new bopyrids, **7(1/2)**: 163–177
- Isotope variation, Holocene reef corals, sampling implications, **22(2)**: 173–189
- Jaluit,  
    agriculture and fishery development under Japanese, **4(1)**: 1–18  
    population under Japanese, **4(1)**: 13–15
- Japan,  
    colonization in Micronesia, 1914–1941, **4(1)**: 1–18  
    conservation of reefs, Kikaijima, Amami Is., **5(2)**: 311  
    ecological background and conservation, **5(2)**: 295–302  
    ecosystem destruction, Ryukyu Is., **5(2)**: 299–300  
    fisheries and agriculture developments in Micronesia, 1914–1941, **4(1)**:  
        1–18  
    new red algae, **8(1/2)**: 51–61  
    Ogasawara (Bonin) Islands, Giant African Snail, **Suppl. 3**: 109–116  
    southern, *Galaxaura* species, **13(1)**: 1–26  
        *Bostrychia* species, **15(1/2)**: 13–33  
    spread of freshwater apple snail, **Suppl. 3**: 51–62 [with color plates]  
    tropical seeds and fruits stranded on mainland, **20(1/2)**: 201–213
- Jekero* (coconut toddy), and transition to manhood, Ujelang Atoll, **20(1/2)**: 1–18
- Jellyfish, *see* Scyphozoa
- Johnston Island, fishes, Acanthuridae, ecological relationships, **4(2)**: 309–361
- Julia* sp. on Guam, **7(1/2)**: 237–238
- Jungermanniophyta,  
    Chuuk, **4(2)**: 239–254  
    key for Guam and Northern Micronesia, **4(1)**: 49–83  
    Palau, phytogeography, **5(1)**: 131–137  
    Palau, species list, **5(1)**: 139–149
- Kapingamarangi,  
    alpheid shrimp, **4(2)**: 261–294  
    didemnid ascidians, **2(2)**: 161–261  
    plant names, **2(2)**: 131–132  
    Rainbow Runner, prehistoric fishing, **21(1/2)**: 1–22  
    work and play, **7(1/2)**: 1–17
- Kava (sakau),  
    and alcohol studies in Oceania, bibliography, **10(2)**: 299–306  
    research bibliography, Oceania, **13(2)**: 313–317
- Kelloggella carditialis*, ecology, Guam, **19(1/2)**: 157–164

- Kikajima, Amami Is., conservation of reefs, **5(2)**: 311  
Kiribati,  
    *Eucheuma* mariculture, Tabuaeran [Fanning Atoll], **18 (2)**: 35–44  
    Gilbert Is. names of marine organisms on Tabuaeran, **14(2)**: 177–197  
    heavy metals in freshwater ponds, Tarawa, **21(1/2)**: 257–266  
    invasion of coral reef by tilapia, Tabuaeran, **16(2)**: 349–355  
    land survey, Tarawa, **4(1)**: 19–25  
    land tenure, Tarawa, **4(1)**: 27–37  
    lagoon circulation, nutrient fluxes, and the impact of human waste,  
        Tarawa, **17 (1/2)**: 161–179  
    new deep-water anglerfish, Line Islands, **25(2)**: 137–143  
    *Pandanus* species, Line Islands, **4(1)**: 85–93; errata: **4(2)**: 372  
Knowledge, traditional, *see* Indigenous knowledge  
Kosrae,  
    human population at contact, **17 (1/2)**: 11–28  
    marine algae, **4(2)**: 137–206, **5(1)**: 25–119  
    native upland forests, **18 (2)**: 109–120  
    new anchovy, **19(1/2)**: 151–156  
    pottery, clay, and early settlement, **Suppl. 2**: 171–185  
    social complexity vs. conflict, **Suppl. 2**: 291–301, 303–316  
    traditional horticulture, **24(1)**: 44–46  
    women's fishing, **25(1)**: 1–22  
Kusaie, *see* Kosrae  
Kure I., didemnid ascidians, **2(2)**: 161–261  
Kwajalein Atoll, archaeological investigations, **Suppl. 2**: 231–239  
Kyushu-Palau submarine ridge, homolid crabs, **16(2)**: 279–287  
  
*Labropsis*, revision, **17 (1/2)**: 125–155 [with color plates]  
*Labropsis alleni*, n. sp., **17 (1/2)**: 131–134  
*Labropsis australis*, n. sp., **17 (1/2)**: 149–154  
*Labropsis micronesica*, n. sp., **17 (1/2)**: 145–149  
*Labropsis polynesica*, n. sp., **17 (1/2)**: 135–138  
*Labropsis xanthonota*, n. sp., **17 (1/2)**: 138–143  
Land survey, Tarawa, **4(1)**: 19–25  
Land tenure,  
    Rota, **10(2)**: 223–235  
    Tarawa, **4(1)**: 27–37  
*Lantana camara*,  
    biological control, **Suppl. 3**: 71–81; **25(2)**: 217–218  
    introduction, dispersal and impact, **10(1)**: 17–39  
Larvae,  
    behavior, coral reef asteroids, **13(2)**: 283–296

- development,  
giant clams, **24(2)**: 278  
pelagic ostracod, **24(2)**: 276  
*Sesarma*, Eastern Australia, **21(1/2)**: 71–91  
morphology, *Thalamita*, **15(1/2)**: 309–314  
sea star, life span, **10(1)**: 57–64
- Latte Period, Mariana Islands  
food storage, **Suppl. 2**: 33–45  
intra-island food exchange, Rota, **Suppl. 2**: 33–45  
rice cultivation, **Suppl. 2**: 33–45  
use of interior, generally, **Suppl. 2**: 33–45  
use of interior, southern Guam, **Suppl. 2**: 261–273
- Latte sites, Guam, **24(2)**: 169–194  
*Laurencia papillosa*, anatomical characteristics, **24(1)**: 87–94
- Law of the sea, traditional, **13(2)**: 121–127
- Laysan Albatross, breeding behavior, **5(1)**: 173–221
- Leathery turtle, ecology and conservation, Malaysia, **3(1)**: 37–43
- Lepidoptera, biological control, Marianas Islands, 1911–1988, **22(1)**: 82–86
- Leptospirosis, low incidence in dogs, Guam, **10(1)**: 13–15
- Leucaena insularum*, Guam, **2(1)**: 67–70  
*Leucaena insularum* var. *guamensis*, n. var., **2(1)**: 67–70  
*Leucaena leucocephala*, predator defense for mealybug, **16(2)**: 360–362
- Life-form of vascular plants, **3(1)**: 19–30
- Light intensity, morphology and productivity of *Caulerpa*, **8(1/2)**: 63–86
- Liliidae [Monocotyledonae], geographical checklist, Micronesia, **20(1/2)**: 19–129
- Limestone forest, community composition, Guam, **9(1)**: 45–58
- Limestone, Holocene, facies development model, Rota, **24(1)**: 137–157
- Linckia multifora*,  
asexual reproduction and population maintenance, **24(2)**: 278  
distribution, morphometry, thermal stress, **11(2)**: 167–183; **24(2)**: 278  
toxicity to damselfish, **11(1)**: 153–154
- Line Islands (Kiribati), new deep-water anglerfish, **25(2)**: 137–143
- Line Islands, *Pandanus* species, **4(1)**: 85–93; *Corrigenda*: 4(2): 372
- Linguistics,  
cultivar names, Micronesia, **24(1)**: 19  
fish names, Carolinian, **11(1)**: 1–5  
fish names, Chamorro (Guam), **23(2)**: 93–117  
plant names, Kapingamarangi and Nukuoro Atolls, **2(2)**: 131–132  
vascular plant names, Puluwat Atoll, **22(1)**: 23–63
- Linophryne andersoni*, n. sp.**, **25(2)**: 137–143
- Liverworts, *see Jungermanniophyta*

- Lizards, introduced species, in diet of Brown Tree Snake, Guam, **Suppl. 3:** 63–69
- Lobster, spiny, fecundity and reproductive rates, **21(1/2):** 103–114
- Loheria*, review of genus, **24(1):** 65–80
- Loheria jubliaria*, n. sp., 24(1): 74–75**
- Lord Howe Islands, conservation, **5(2):** 493–496
- Loyalty Islands, New Caledonia, new deepwater cushion star, **16(2):** 289–295
- Lycopodiophyta,  
checklist, Micronesia, **18(1):** 27–29
- Flora, Guam, **6(1/2):** 48–55
- Macrobrachium lar*,  
agonistic behavior in relation to size, **24(2):** 289  
genetic variation, **24(2):** 291
- Madagascar, coral reef food web, **11(2):** 185–198
- Magicians, Ulithi, **1(1):** 6–7
- Magnoliophyta,  
annotated list, Puluwat Atoll, **22(1):** 23–63
- Casuarina* success in savanna, Guam, role of fire, **24(1):** 163
- Desmodium purpureum*, identity, **18 (2):** 195–196
- dicots geographical checklist, Micronesia, **15(1):** 41–295
- dipterocarp forest phenology, Malaysia **9(1):** 75–96
- Flora of Guam*, **6(1/2):** 1–659 [with color plates]
- flora of Guam, additions, **1(1):** 131–136; **2(1):** 47–50; **2(2):** 133–141; **19(1/2):** 171–172; **21(1/2):** 227–255
- Freycinetia*, eastern Polynesia, **17 (1/2):** 47–58
- Glycine tabacina*, distribution, West Central Pacific, **17 (1/2):** 59–65
- life-forms, Micronesia, **3(1):** 19–30
- Micronesia, **11(1):** 77–80, 81–84
- Micronesian Cyperaceae, **20(1/2):** 165–170
- monocots, geographical checklist, Micronesia, **20(1/2):** 19–129
- names and classification, Wolei, **10(1):** 1–5
- new and noteworthy, Cook Islands, **23(1):** 1–4
- new combinations and taxa, **20(1/2):** 131–156
- new *Nesogenes*, Rota, **19(1/2):** 11–15
- new orchid record, Guam, **19(1/2):** 171–172 [with color plate]
- new records, Micronesia, **16(2):** 211–214
- new records, Northern Mariana Islands, **13(1):** 27–31
- new seagrass in Philippines, **18 (2):** 103–108
- noteworthy, Northern Mariana Islands, **16(2):** 211–214
- noteworthy, Micronesia, **16(2):** 189–200, 201–210, **23(2):** 139–152
- of Southeastern Polynesia, **2(2):** 153–159, **8(1/2):** 43–49, **10(2):** 251–256
- Poaceae, Micronesia, **18 (2):** 45–102; errata in **19(1/2)**.

*Magnoliophyta, cont.*

- revisions, **2(2)**: 143–152, **4(2)**: 255–259
- taxonomic and distributional notes, **25(2)**: 175–199

*Timonius*, in Palau, **20(1/2)**: 157–164

traditional uses, Ulithi Atoll, **13(2)**: 129–190

Mai‘ao, Tahiti, diet and economic changes, **2(1)**: 3–8

Malaysia,

dipterocarp forest phenology, **9(1)**: 75–96

sea turtle conservation, **3(1)**: 37–43

Mammals,

marine, Micronesia, annotated checklist, **24(2)**: 217–230

Ngerukewid Islands Wildlife Preserve, Palau, **23(1)**: 60–63

Tinian, **23(2)**: 167–180

Mangroves, resolution on, **5(2)**: 252

*Mapania flavinux*, n. sp., **1(1)**: 65–66

Marcus I., Bonin Is., marine benthic algae, **4(2)**: 207–212

Mariana Is.,

fish zoogeography, **16(2)**: 307–311

fishes checklist, **21(1/2)**: 115–180

Holocene reef corals, stable isotope variation, **22(2)**: 173–189

mollusc biogeography, **19(1/2)**: 27–55

new bird records, **23(1)**: 67–89

origins of neo-Chamorros, **12(2)**: 203–209

pagurid crab genus *Calcinus*, **18 (2)**: 121–162

porcellanid crabs, **19(1/2)**: 91–106

prehistoric pottery, functional aspects, **Suppl. 2**: 33–45

prehistoric pottery, temporal changes in, **Suppl. 2**: 33–45

reptile and amphibian distributional patterns, **24(2)**: 195–210

resources and social complexity, **Suppl. 2**: 117–124

rice cultivation, prehistoric, **17 (1/2)**: 1–9

*see also* Guam, Rota, Tinian, Saipan; Northern Mariana Islands

Mariculture,

*Eucheuma*, Tabuaeran [Fanning Atoll], **18 (2)**: 35–44

oysters, reproductive periodicity of *Saccostrea*, **24(2)**: 287–288

rabbitfish potential, **24(2)**: 280–281

Maritime vegetation, conservation, **3(1)**: 31–35

Marquesas Islands,

Asteroidea, **10(1)**: 65–104

vascular plants, **8(1/2)**: 43–49

Marshall Is.,

introduced insects, **Suppl. 3**: 15–31

new wrasses, **21(1/2)**: 199–226

new nudibranch, **19(1/2)**: 17–26

- see also* Bikini, Enewetak, Kwajalein, Rongelap, Rongerik, Ujelang  
Martial arts, Caroline Is., **14(2)**: 139–176  
Masters theses in biology at the University of Guam, 1968–1991. Abstracts, **24(2)**: 273–298  
Matsudaira's storm-petrel (*Oceanodroma matsudairei*), record, Guam, **14(1)**: 123  
Mealybugs, biological control, Marianas Islands, 1911–1988, **22(1)**: 66–80  
Medicinal plants,  
    Ulithi, **13(2)**: 129–190  
    use by traditional healers, Guam, **14(1)**: 45–48  
*Megapodius laperouse*, distribution, Northern Mariana Islands, **11(1)**: 149–150  
Melanesian Islands, check list and characters, **5(2)**: 415–436  
Mental health and culture bibliography, **19(1/2)**: 183–245  
*Microcyclops microsetus*, n. sp., **19(1/2)**: 68–71  
*Microdictyon mokilensis*, n. sp., **7(1/2)**: 50, 66–67  
Microevolution, humans, Guam, **9(1)**: 11–44, **Suppl. 2**: 417–430  
Micronesia,  
    birds checklist, **13(1)**: 65–81  
    bird records, **13(1)**: 57–63  
    islands, check list and characters, **5(2)**: 387–414  
    physical anthropology, overview. **Suppl. 2**: 317–321, 431–434  
    political development, **8(1/2)**: 1–11  
    political status,  
        commentaries, **8(1/2)**: 37–40, 41–42  
        factors affecting development, **8(1/2)**: 1–11  
        political development and practice, Palau, **8(1/2)**: 23–35  
        symposium, **8(1/2)**: 1–42  
    settlement, relationships with Southeast Asia, **Suppl. 2**: 241–246  
Micronesia, Federated States of,  
    Congress of Micronesia, **8(1/2)**: 13–22  
    *see also* Chuuk, Kosrae, Pohnpei, Yap  
Micronesian Academy of Science, founding and constitution, **1(1)**: 155–160  
Micronesian Megapode distribution, Northern Mariana Islands, **11(1)**: 149–150  
Micronesians,  
    relations to Asians, from craniofacial and odontometric measures, **Suppl. 2**: 323–348, 373–401  
    relations to Mongoloid population complex, **Suppl. 2**: 363–372  
*Microphis cruentus*, n. sp., **17 (1/2)**: 113–118  
Midway Atoll,  
    Laysan Albatross, breeding behavior, **5(1)**: 173–221  
    didemnid ascidians, **2(2)**: 161–261  
Migrants, Palauan, on Guam, **17 (1/2)**: 29–45  
Mokil [Mwoakilloa], marine algae, **4(2)**: 137–206, **5(1)**: 25–119

- Mollusca,  
 associated with corals, **12(1)**: 133–148  
 northern Mariana Islands, dispersal barriers, **19(1/2)**: 27–55  
 prosobranch, stream neritids of Oceania, **21(1/2)**: 93–102  
 status of faunistic studies, **12(1)**: 187–191  
 terrestrial, biological control, Marianas Islands, 1911–1988, **22(1)**: 90–91  
*see also*, Bivalvia, Cephalopoda, Gasteropoda, Opisthobranchia, Clams
- Monitor lizard, *see* *Varanus indicus*
- Monocots, geographical checklist, Micronesia, **20(1/2)**: 19–129
- Mortuaries,  
 diversity, Guam, **24(2)**: 169–194  
 Yap, **Suppl. 2**: 153–169
- Mosquitoes,  
 introduced species, vectors of human diseases, **Suppl. 3**: 33–39  
 wingbeat frequency in taxonomic identification, **Suppl. 3**: 129–133  
 biological control, copepods as hosts for fungus, **19(1/2)**: 57–90
- Mosses, *see* Bryophyta
- Mycale (Carmia) digitata*, n. sp., **3(2)**: 187–189
- Namoluk Atoll,  
 birds, **7(1/2)**: 234–236  
 education and depopulation, **15(1/2)**: 1–11
- Nan Madol, Pohnpei,  
 abandonment, **1(1)**: 49–54  
 early Euro-American descriptions and symbolic use, **Suppl. 2**: 99–116  
 pottery, **Suppl. 2**: 17–32  
 significance in Micronesian prehistory, **Suppl. 2**: 187–211  
 transition from *Saudeleur* to *Nahnmwarki*, **Suppl. 2**: 275–290
- Nauru, notes on marine benthic algae, **25(1)**: 123–131
- Neisosperma<sup>6</sup> brownii*, n. sp., **8(1/2)**: 49
- Nerita plicata*, distribution and abundance in intertidal zone, **24(2)**: 288
- Neritid snails, freshwater, shell character and habitat, Hawai‘i, **14(2)**: 209–214
- Nervilia jacksoniae*, n. sp., **24(1)**: 81–85
- Nesogenes euphrasiooides* var. *lineata*, n. var., **23(1)**: 2
- Nesogenes rotensis*, n. sp., **19(1/2)**: 11–15
- New Caledonia,  
 algae, benthic marine, catalog, **21(1/2)**: 53–70  
 new doryrhamphine pipefish, **17 (1/2)**: 113–118  
 new *Plectranthias*, **15(1/2)**: 315–324

---

<sup>6</sup> Misspelled *Neiosperma* in this article and in *Micronesica* 10: 254; correct in *Micronesica* 15: 216.

- New Zealand,  
    Desmospongae, **8(1/2)**: 125–136  
    introduced aquatic plants, **3(1)**: 31–35  
    Off-shore Islands, conservation, **5(2)**: 465–491
- Ngerukewid Islands Wildlife Preserve, Palau,  
    resolution on, **5(2)**: 261–262  
    terrestrial vertebrates, **23(1)**: 41–46
- Nicotine sulfate, for fish narcotization, **2(1)**: 71–72
- Nitocra lacustris pacificus*, n. ssp., **19(1/2)**: 81–82
- Nitocra pseudospinipes*, n. sp., **19(1/2)**: 82–84
- Nitrate, in groundwater, from blue-green algae, Guam, **24(2)**: 284
- Nitrogen  
    cycle, coral reef, **12(1)**: 23–26  
    fixation, blue-green algal, **12(1)**: 23–26  
    sources for coastal waters, Guam, **24(1)**: 109–135  
    excreted by damselfish, effect on coral growth, **24(2)**: 293–294
- Nomenclatural changes to names in Safford's *Useful Plants of Guam*, **1(1)**: 123–130
- Norfolk Island, conservation, **5(2)**: 493–496
- Northern Mariana Islands,  
    megapode distribution, **11(1)**: 149–150  
    new and unusual bird records, **24(2)**: 261–271  
    sediments, detrital, from reef fronts, **24(2)**: 231–248  
    vascular plant records, **13(1)**: 27–31  
    *see also* Rota, Tinian, Saipan
- Nostoc*, as nitrate source for groundwaters, Guam, **24(2)**: 284
- Nuclear test craters, fishes inhabiting, **11(2)**: 205–217
- Nudibranchs, *see* Opisthobranchia
- Nukuoro Atoll,  
    plant names, **2(2)**: 131–132  
    Rainbow Runner, prehistoric fishing, **21(1/2)**: 1–22
- Nusanto people, and origin of Micronesians, **Suppl. 2**: 241–246
- Nutrient chemistry, coastal waters, Guam, **24(1)**: 109–135
- Nutrient fluxes, Tarawa Atoll lagoon, **17 (1/2)**: 161–179
- Obituary, Walter Scott Wilson, **12(2)**: 201
- Ochrosia fatuhivensis*, n. sp., **8(1/2)**: 48
- Ochrosia mariannensis* var. *crassicarpa*, n. var., **11(1)**: 80
- Ochrosia nukuhivensis*, n. sp., **8(1/2)**: 48
- Octocorals, Palau, **10(2)**: 257–271
- Octopus, *see* Cephalopoda
- Okinawa, freshwater alga, **15(1/2)**: 35–39
- Onychocépon seychellensis*, n. sp., **7(1/2)**: 169–172

- Ophiarachna megacantha erythema*, n. ssp., 10(1): 176–179**
- Ophiocoma*, habitat and feeding, Enewetak, 19(1/2): 131–149
- Ophioglossum pendulum*, in Marshall Islands, 1(1): 155
- Ophiomastix*, taxonomic revision, 14(2): 273–359
- Ophiomastix marshallensis*, n. sp., 14(2): 313–319**
- Ophiomastix stenozonula*, n. sp., 10(1): 164–171**
- Ophiopeza kingi*, n. sp., 10(1): 180–184**
- Ophiothrix (Placophiothrix) westwardi*, n. sp., 10(1): 143–149**
- Ophiuroidea*, *Ophiocoma* habitat and feeding, Enewetak, 19(1/2): 131–149  
revision of *Ophiomastix*, 14(2): 273–359  
southeastern Polynesia, 10(1): 105–204
- Opisthobranchia,  
*Elysia* from Guam, 14(1): 89–113  
defense chemicals from sponges, 24(2): 296–297  
new dendronotacean nudibranch, 19(1/2): 17–26
- Oral traditions,  
history of Uluang terraces, Palau, **Suppl. 2:** 125–136  
mortuary behavior, Yap, **Suppl. 2:** 153–169  
*Saudeleur* to *Nahnmwarki* transformation, Pohnpei, **Suppl. 2:** 275–290  
socio-political complexity, Pohnpei, **Suppl. 2:** 137–151, 275–290  
value for archaeological interpretation, Pohnpei, **Suppl. 2:** 89–97
- Orchids, ant damage to *Dendrobium* flowers, 24(1): 159–160 [with color plate]  
[errata: 24(2): 301]
- Oroluk Atoll, marine algae, 4(2): 137–206, 5(1): 25–119
- Ostracod, pelagic, larval development, 24(2): 276
- Oysters, reproductive periodicity of *Saccostrea*, 24(2): 287–288
- Pacific bibliographies, 7(1/2): 238–239
- Pacific Islands, non-tropical, check list and characters, 5(2): 437–462
- Pacific Oceanic Islands, check list and characters, 5(2): 327–463
- Pacific Scientific Information Center, Bishop Museum, 2(2): 263–264
- Padina jonesii*, n. sp., 8(1/2): 98**
- Pair-bonding, painted shrimp, 9(2): 225–230, 231–236
- Palau Coconut Beetle, *Brontispa palauensis*, biological control, Guam, 16(2):  
359–360
- Palau,<sup>7</sup> agriculture and fishery development under Japanese, 4(1): 1–18  
arachnids, Ngerukewid Islands Wildlife Preserve, 24(2): 211–215  
archeological excavations, **Suppl. 1:** 1–353; commentary, **Suppl. 2:** 213  
artefacts, Tobi I., **Suppl. 1:** 349–353  
burial sites, **Suppl. 1:** 26, 33–34

<sup>7</sup> See 24(2): 301 for note re. spelling Palau vs. Belau.

- crocodile attack, **1(1)**: 151–153  
crocodile record, **2(1)**: 87  
freshwater fishes checklist, **17 (1/2)**: 107–111  
freshwater red algae, **24(2)**: 293  
human remains, **Suppl. 1**: 317–342  
introduced rodents, **10(1)**: 41–50  
legend of Kaul's stone, **Suppl. 1**: 172–174  
liverworts, phytogeography, **5(1)**: 131–137  
liverworts, species list, **5(1)**: 139–149  
marine algae, **4(2)**: 137–206, **5(1)**: 25–119  
megaliths, **Suppl. 1**: 157–174  
migrant people on Guam, **17 (1/2)**: 29–45  
new alpheid shrimp, **8(1/2)**: 137–140  
new octocorals, **10(2)**: 257–271 [with color plate]  
occurrence of *Halodule pinifolia*, **16(2)**: 357–363  
pictographs, **Suppl. 1**: 299–315  
political development and practice, **8(1/2)**: 23–35  
population under Japanese, **4(1)**: 13–15  
pottery, **Suppl. 1**: 27–28, 46–56, 67–79, 109–113, 119–128, 142–154, 184–200  
rock paintings, **4(1)**: 39–48  
settlement date, **Suppl. 2**: 213–229  
shallow-water crinoids, **16(1)**: 59–99 [with color plates]  
shell tools, **Suppl. 1**: 19–26, 34–46, 65–67, 90–92, 142  
spiny lobster reproduction and fishery management, **21(1/2)**: 103–114  
stone faces, **Suppl. 1**: 130–138, 174–176  
terraces, **Suppl. 1**: 113–116, 213–219  
*Timonius* species, **20(1/2)**: 157–164  
traditional horticulture, **24(1)**: 31–35  
traditional time reckoning, **12(2)**: 211–246  
Uluang terraces, **Suppl. 2**: 125–136  
vascular plant notes, **16(2)**: 189–200  
Paleoenvironments, reconstruction from phytolith analysis, **Suppl. 2**: 65–74  
Paleopathology, Rota, epidemiological implications, **Suppl. 2**: 349–362  
Palmyra, didemnid ascidians, **2(2)**: 161–261  
*Pandanus*,  
    in Micronesia, **7(1/2)**: 85–93, 95–98  
    Line Islands, **4(1)**: 85–93; errata **4(2)**: 372  
    Marianas species, **3(2)**: 105–128 [with color plate]; errata: **4(2)**: 372  
Papua New Guinea,  
    new sesarmine crab, **21(1/2)**: 181–187  
    tree frogs, **15(1/2)**: 325–333  
    *see also* Wuvulu Island

- Paracheilinus bellae*, n. sp., 21(1/2): 222–225  
*Passiflora suberosa* var. *perhastata*, n. var., 25(2): 193  
*Patinapta taiwanensis*, n. sp., 21(1/2): 33–38  
Pearlfish,  
    ecology and behavior in Holothuroidea and cushion starfish, 24(2): 274  
    in *Acanthaster planci*, 9(1): 159  
*Periclimenes tonga*, n. sp., 21(1/2): 23–32  
*Pericyma cruegeri* biology on Guam, 10(2): 273–278  
Periphyton, freshwater, Yap, 23(1): 27–40  
Pest control, taro, cultural methods, American Sāmoa, Suppl. 3: 123–127  
Pest introductions, *Lantana camara* on Pacific islands, 10(1): 17–39  
Pesticides, toxicity to hermit crab, 24(2): 281  
Pests, biological control, Marianas Islands, 1911–1988, 22(1): 65–106  
Petroglyphs,  
    Guam, 4(1): 39–48 [with color plate]  
    Palau, Suppl. 1: 299–315  
*Petrolisthes borradalei*, n. sp., 19(1/2): 96–98  
*Petrolisthes eldredgei*, n. sp., 20(1/2): 171–186  
*Petrolisthes lamarckii* complex, Mariana Islands, 19(1/2): 91–106  
*Petrolisthes mesodactylon*, n. sp., 19(1/2): 91–93  
*Petrolisthes miyakei*, n. sp., 19(1/2): 93–95  
Phenology, plants in humid tropics, 9(1): 75–96  
*Pheretima mira*, n. sp., 8(1/2): 121–123  
*Pheretima sedgwicki* complex, 8(1/2): 117–124  
Philippines and South China Sea, alpheid and ogyridid shrimp checklist, 14(2):  
    215–257  
Philippines,  
    algal farming, *Eucheuma*, 9(1): 59–7  
    new benthic marine algae records, 23(2): 181–190  
    new poisonous crab, 7(1/2): 179–183  
    new seagrass record, 18 (2): 103–108  
Phosphate mining, resolution on, 5(2): 261  
Phototaxis, in *Acanthaster planci*, 24(2): 276  
Phycobiliprotein banding patterns, red algae, 24(2): 290  
Phytogeography, Guam, 3(1): 67–73  
Phytolith analysis, and reconstruction of past environments and subsistence,  
    Suppl. 2: 65–74  
Phytoplankton, Takapoto Atoll, 11(2): 159–166  
Pisces,  
    abundance at artificial reef, 24(2): 286–287  
    acanthurids, see Acanthurid fishes  
    anemonefish reproductive and territorial behavior, 24(2): 279–280  
    apogonid fish in coral reef food webs, 11(2): 185–198

- browsing patterns on seagrass, **24(2)**: 294–295  
butterfly fishes, distribution on contrasting reefs, Guam, **24(2)**: 277  
*Canthigaster*, resource allocation among sympatric species, **24(2)**: 292  
Carolinian names, Saipan, **11(1)**: 1–5  
check-list, Guam, **4(1)**: 95–131; **7(1/2)**: 215–228; **11(1)**: 115–121  
community structure and distribution in lagoon, **11(1)**: 127–148  
damselfish, *see* Pomacentrid fishes  
deep slope, condition indices, Mariana Is., **21(1/2)**: 189–197  
egg hatching, *Syngnathoides biaculeatus*, **10(2)**: 279–283  
farmer fish, *see* Pomacentrid fishes  
feeding,  
    and primary production, Eniwetok, **3(2)**: 135–149  
    *Petroskirtes variabilis*, **17 (1/2)**: 157–160  
freshwater, Palau, checklist, **17 (1/2)**: 107–111  
Gilbertese [Kiribati] and Ellice Islander [Tuvalu] names, **14(2)**: 177–193  
gobies, ecology of two sympatric species, **24(2)**: 277  
Guam, check-lists, **4(1)**: 95–131; **7(1/2)**: 215–228; **11(1)**: 115–121  
hawkfish record, Guam, **21(1/2)**: 267–272  
herbivorous,  
    browsing patterns in seagrass bed, **24(2)**: 294–295  
    effect of epiphytes on seagrass assimilation, **24(2)**: 296  
    green algal chemical defense, **24(2)**: 297  
    gut content quantification, **4(2)**: 369–371  
in nuclear test craters at Enewetak Atoll, **11(2)**: 205–217  
interspecific spawning, pygmy angelfishes, **17 (1/2)**: 119–124 [with color plate]  
labrid,  
    *Anampsese*, revision, **8(1/2)**: 151–195 [with color plates]  
    new *Cirrhilabrus* and *Paracheilinus*, **21(1/2)**: 199–226  
    review of *Cirrhilabrus*, **25(1)**: 99–121 [with color plates]  
length-weight regressions, lutjanids, **21(1/2)**: 189–197  
life history, *Siganus canaliculatus*, Palau, **13(2)**: 297–312  
Mariana Islands, checklist, **21(1/2)**: 115–180  
morphology and ecological separation, Acanthurids, **4(2)**: 324–349  
narcotization with nicotine sulfate, **2(1)**: 71–72  
new deep-water anglerfish, **25(2)**: 137–143  
new doryrhamphine pipefish, New Caledonia, **17 (1/2)**: 113–118  
new goby from Guam, **1(1)**: 145–150  
new *Plectranthias*, New Caledonia, **15(1/2)**: 315–324  
new records, Guam, **16(2)**: 305–347  
pearlfishes, ecology and behavior, **24(2)**: 274  
pomacentrids, *see* Pomacentrid fishes  
*Pristipomoides*, Guam, **9(1)**: 97–118; **24(2)**: 276

*Pisces, cont.*

- rabbitfish, *see* Siganid fishes
- review of pipefish genus *Trachyrhamphus*, **18 (2)**: 163–191
- revision of *Labropsis*, **17 (1/2)**: 125–155 [with color plates]
- sexual dimorphism, *Petroscirtes variabilis*, **17 (1/2)**: 157–160
- shark records, Guam, **9(1)**: 159–160
- siganids, *see* Siganid fishes
- spawning
  - in captive *Siganus canaliculatus*, **11(2)**: 199–204
  - mullet, *Crenimugil crenilabis*, **11(2)**: 219–225
- toxicity,
  - of depth-charge chemicals to damselfish, **11(1)**: 109–113
  - of sea star to damselfish, **11(1)**: 153–154
- traditional names,
  - Chamoro (Guam), **23(2)**: 93–117
  - Satawal, **18 (2)** 1–34
- upper reef slope species, seasonal variation, **24(2)**: 292
- Pictographs, *see* Petroglyphs
- Pikelot, in old accounts and maps, **11(1)**: 7–33
- Pingelap, marine algae, **4(2)**: 137–206, **5(1)**: 25–119
- Place names,
  - Chuuk, **2(2)**: 95–129
  - native, Fais, **14(1)**: 69–82
- Plant pathogens,
  - bacterial diseases of Solanaceae crops, Guam, **24(2)**: 277
  - Pythium acanthicum* on Guam, **4(2)**: 363
- Plants, ornamental,
  - as weed pests, Guam, **Suppl. 3**: 47–50
  - biological control of *Lantana camara*, **Suppl. 3**: 71–81
  - role in spread of introduced insect pests, **Suppl. 3**: 5–13
- Plectranthias* revision, **16(1)**: 101–187
- Plectranthias alleni*, n. sp., **16(1)**: 113–116
- Plectranthias bauchotae*, n. sp., **16(1)**: 118–121
- Plectranthias cirrhitoides*, n. sp., **16(1)**: 121–124
- Plectranthias fourmanoiri*, n. sp., **16(1)**: 125–129
- Plectranthias helena*e, n. sp., **16(1)**: 131–135
- Plectranthias inermis*, n. sp., **16(1)**: 135–138
- Plectranthias kamii*, n. sp., **16(1)**: 141–145
- Plectranthias maugei*, n. sp., **16(1)**: 152–155
- Plectranthias nanus*, n. sp., **16(1)**: 159–166
- Plectranthias taylori*, n. sp., **16(1)**: 170–173
- Plectranthias vexillarius*, n. sp., **16(1)**: 173–175
- Plectranthias wheeleri*, n. sp., **16(1)**: 175–179

- Plectranthias whiteheadi*, n. sp., 16(1): 179–182**  
Poaceae, Micronesia, 18 (2): 45–102; errata in 19(1/2).
- Podosphaeraster pulvinatus*, n. sp., 16(2): 289–295**  
*Podosphaeraster*, anatomy, 18 (1): 83–93  
Pohnpei,  
    agriculture and fishery development under Japanese, 4(1): 1–18  
    archaeological investigations, 3(2): 81–95  
    artifact sequence, **Suppl. 2:** 187–211  
    mangrove crab, ecology, 24(2): 281  
    marine algae, 4(2): 137–206, 5(1): 25–119  
    Nan Madol abandonment, 1(1): 49–54  
    population under Japanese, 4(1): 13–15  
    position in eastern Micronesian prehistory, **Suppl. 2:** 187–211  
    pottery forms, typology, **Suppl. 2:** 17–32, 187–211  
    prehistoric pottery, and origin of people, **Suppl. 2:** 17–32  
    settlement reconstruction, **Suppl. 2:** 17–32  
    socio-political complexity, **Suppl. 2:** 137–151  
    subsistence patterns, **Suppl. 2:** 17–32  
    traditional horticulture, 24(1): 42–44  
    *see also*, Kapingamarangi, Mokil, Nukuoro, Oroluk, Pingelap
- Poinciana looper, biology on Guam, 10(2): 273–278
- Poisonous plants, Guam, 3(1): 55–66
- Political status, Micronesia,  
    commentaries, 8(1/2): 37–40, 41–42  
    factors affecting development, 8(1/2): 1–11  
    Palau, political development and practice, 8(1/2): 23–35  
    symposium, 8(1/2): 1–42
- Pollution,  
    chlorine-induced oxidants, effects on marine organisms, 24(2): 287  
    thermal, macroalgae as indicators, 12(1): 49–65
- Polycavernosa tsudae*, n. sp., 20(1/2): 195–198**
- Polychaetes,  
    infaunal, Great Barrier Reef, 15(1/2): 297–307  
    intertidal reef, Guam, 13(2): 199–215  
    need for systematics, 12(1): 165–167  
    refuges on a windward reef, 16(1): 43–58  
    new *Spirorbis* species, 5(1): 151–153
- Polynesian Islands, check list and characters, 5(2): 347–386
- Polypodiophyta,  
    checklist, Micronesia, 18 (1): 23–80  
        erratum: see back of contents page, 18(2)  
    flora, Guam, 6(1/2): 48–64  
    flora of Guam, additions, 1(1): 132; 2(2): 133–135

- new records, Northern Mariana Islands, **13(1)**: 27  
new record, Tahiti, **10(2)**: 251  
noteworthy, Micronesia, **16(2)**: 189–200  
*Polypodium katuui*, new comb., **23(1)**: 1  
*Sphenomeris chinensis*, notes and new varieties, **18 (1)**: 129–133  
*Thelypteris*, new combinations, **2(2)**: 133–135  
*Polyscias*, from Micronesia, **2(1)**: 51–59  
*Pomacea canaliculata*, apple snail, spread from Argentina to Asia, **Suppl. 3**: 51–62  
Pomacentrid fishes,  
    association of *Dascyllus aruanus* with coral, **24(2)**: 274  
    comparative ecology of two *Pomacentrus* spp., **24(2)**: 275  
    genetic variation, *Abudefduf* spp., **24(2)**: 278–279  
    diet, intestinal morphology, and nitrogen assimilation, **24(2)**: 284  
    nitrogen excretion, effect on coral growth, **24(2)**: 293–294  
    toxicity of depth-charge chemicals to *Dascyllus*, **11(1)**: 109–113  
    toxicity of sea star *Linckia* to *Dascyllus*, **11(1)**: 153–154  
    use of coral for cover, **24(2)**: 274  
*Pomachromis guamensis*, n. sp., **11(1)**: 123–126  
Pontoniine shrimps, Viti Levu, Fiji, **17 (1/2)**: 77–95  
    errata: 18(1)  
Population,  
    estimating size, evaluation of methods for Brown Treesnake, **25(1)**: 23–40  
    human,  
        and education, Namoluk, **15(1/2)**: 1–11  
        demography, Nauru, **22(1)**: 3–22  
            Yap, **5(1)**: 1–24  
        divorce, remarriage, and fertility, Yap, **10(2)**: 237–242  
        ethnic composition, Micronesia, under Japanese, **4(1)**: 13–15  
        education of women, and family size, Chuuk, **18 (1)**: 1–21  
        fingerprint characteristics, Yap, **1(1)**: 55–58  
        Guam, after influenza pandemic, **19(1/2)**: 1–9  
        Guam, historic demography, **Suppl. 2**: 417–430  
        history, Guam, **9(1)**: 11–44  
        Kosrae, at contact, **17 (1/2)**: 11–28  
        marital infertility and primary sterility, Guam, **23(2)**: 119–129  
        population pressure, Kosrae, **Suppl. 2**: 303–314  
            Mariana Is., **Suppl. 2**: 33–45  
        starfish, maintenance by asexual reproduction in *Linckia*, **24(2)**: 278  
Population density,  
    and social complexity, Kosrae, **Suppl. 2**: 303–316  
    holothurian, no role for fission and regeneration, **24(2)**: 281–282

- humans, Yap, **5(1)**: 1-24  
pre/post typhoon, gasteropods, **16(2)**: 215-228
- Porifera,  
chemical defenses, utilized by nudibranchs, **24(2)**: 296-297  
deep water Desmospongae, New Zealand, **8(1/2)**: 125-136  
encrusting, growth and distribution, effect of light and substrate, **24(2)**: 291  
encrusting, growth, toxicity, distribution, Guam, **9(2)**: 237-242  
habitats, Solomon Is., **7(1/2)**: 99-121  
intertidal, Australia, **3(2)**: 175-202  
new records, Hawai'i, **3(2)**: 159-174  
Solomon Is., **7(1/2)**: 99-121
- Portugese, discovery of Ulithi, **11(1)**: 35-70
- Pottery, prehistoric,  
Angaur, **Suppl. 1**: 27-28  
Aulong, **Suppl. 1**: 67-79  
Babedaob, **Suppl. 1**: 109-113, 119-128, 142-154, 184-200  
functional changes, Mariana Is., **Suppl. 2**: 33-45  
Koror, **Suppl. 1**: 92-101, 104-105  
Kosrae, early settlement, **Suppl. 2**: 171-185  
Nan Madol, Pohnpei, **Suppl. 2**: 17-32, 190-193  
Peleliu, **Suppl. 1**: 46-56
- Power plant, stack gas sulfur scrubber, effluent effect on *Gracilaria*, **24(2)**: 291
- Prawn, freshwater, agonistic behavior, **24(2)**: 289
- Prehistory, Micronesian, place of Pohnpei, **Suppl. 2**: 187-212
- Primary productivity,  
*Caulerpa*, irradiance effects, **8(1/2)**: 63-86  
photosynthetic surface area, coral reef algae, **12(1)**: 43-47  
reef algae, **12(1)**: 13-21  
reef lagoon, Palau, **5(2)**: 315  
role of fish feeding, Enewetak, **3(2)**: 135-149  
Takapoto Atoll, **11(2)**: 159-166
- Pristipomoides*, Guam, **9(1)**: 97-118
- Prochloron*-ascidian symbioses, see Algae, benthic marine: Prochlorophyta
- Productivity, high and low island ecosystems, **3(1)**: 5-15
- Protozoans, freshwater, Eniwetok Atoll, **3(2)**: 151-157
- Pseudoxinyssa stipitata*, n. sp.**, **3(2)**: 189-191
- Psilotophyta,  
checklist, Micronesia, **18(1)**: 26-27  
flora of Guam, **6(1/2)**: 54  
new record, Northern Mariana Islands, **13(1)**: 27
- Psychotria whistleri*, n. sp.**, **23(1)**: 3
- Pulo Anna I. (Palau), marine algae, **4(2)**: 137-206, **5(1)**: 25-119

- Puluwat, marine algae, **4(2)**: 137–206, **5(1)**: 25–119  
*Pylopaguropsis fimbriata*, n. sp., **22(2)**: 164–166  
*Pylopaguropsis garciai*, n. sp., **22(2)**: 162–164  
*Pylopaguropsis kejii*, n. sp., **22(2)**: 150–152  
*Pylopaguropsis laevispinosa*, n. sp., **22(2)**: 166–169  
*Pylopaguropsis lewinsoni*, n. sp., **22(2)**: 155–158  
*Pylopaguropsis pustulosa*, n. sp., **22(2)**: 159–162  
*Pylopaguropsis speciosa*, n. sp., **22(2)**: 152–155  
*Pythium acanthicum*, presence in soil on Guam, **4(2)**: 363

Quarantine, resolution, **Suppl. 3**: vii

Rabbitfish, *see* Siganid fishes

Radiocarbon dates,

- Bikini, **Suppl. 2**: 247–260  
Guam, **Suppl. 2**: 261–273  
Kosrae, **Suppl. 2**: 171–185, 303–314  
Kwajalein, **Suppl. 2**: 231–239  
Palau, **Suppl. 2**: 213–229  
Pohnpei, **Suppl. 2**: 17–32, 187–211, 275–290

Radiocarbon dating, and the peopling of Palau, **Suppl. 2**: 213–229

Rainbow Runner, prehistoric fishing, Kapingamarangi and Nukuoro, **21(1/2)**: 1–22

*Rallus owstoni*, breeding season, **4(1)**: 133–135

Rats,

- introductions in Mariana Is., **10(1)**: 46–49  
potential control by monitor lizard, **3(1)**: 17–18  
populations on high and low islands, **3(1)**: 5–15

Red tide, Guam, water chemistry and hydrology, **24(1)**: 95–108 [with color plate]

Reefs, *see* Coral reefs

Reproductive behavior, *Sepia latimanus*, **16(2)**: 235–260 [with color plates]

Reptiles,

- abundance and habitat use, Rota, **23(2)**: 153–166  
Gilbertese names, **14(2)**: 196

Reptiles and amphibians,

- distributional patterns, Mariana Is., **24(2)**: 195–210  
Ngerukewid Islands Wildlife Preserve, Palau, **23(1)**: 45–50  
Tinian, **22(1)**: 107–118

Resource allocation, *Canthigaster* species, **24(2)**: 292

Resource management,

- fruit bats, Yap, **21(1/2)**: 39–51  
juvenile siganid harvest, Philippines, **22(2)**: 191–195

- traditional, **13(2)**: 121–127  
traditional, Palau, **12(2)**: 211–246
- Resource partitioning, reef gobies, **24(2)**: 277
- Resources, and cultural complexity on high islands and low islands, **Suppl. 2**: 117–124
- Rice,  
cultivation, Asia, effect of introduced apple snail, **Suppl. 3**: 51–62 [with color plates]  
cultivation, prehistoric, Mariana Islands, **17 (1/2)**: 1–9  
changing role in the Marianas Islands, **3(2)**: 97–103
- Ridley sea turtles in the western Caroline Islands, **11(1)**: 151–152
- Ring Neck Plover, on Guam, **7(1/2)**: 236–237
- Rock paintings, Palau, **4(1)**: 39–48
- Rongelap Atoll, alpheid shrimp, **4(2)**: 261–294
- Rongerik Atoll, alpheid shrimp, **4(2)**: 261–294
- Rota,  
bryophytes, **4(1)**: 49–83  
extinct and extirpated birds, **25(1)**: 71–84  
Holocene reef facies, **24(1)**: 137–157  
introduced rodents, **10(1)**: 41–50  
land tenure, **10(2)**: 223–235  
new *Nesogenes*, **19(1/2)**: 11–15  
new orchid, **24(1)**: 81–85  
paleopathology, epidemiological implications, **Suppl. 2**: 349–362  
reptile abundance and habitat use, **23(2)**: 153–166  
status of candidate endangered bird species, **17 (1/2)**: 184–186
- Ryukyu Is., ecosystem destruction, **5(2)**: 299–300
- Saccoglossans *see* Opisthobranchia
- Saipan,  
agriculture and fishery development under Japanese, **4(1)**: 1–18  
bryophytes, **4(1)**: 49–83  
Carolinian fish names, **11(1)**: 1–5  
holothurian distribution and abundance, **24(2)**: 295  
introduced rodents, **10(1)**: 41–50  
limestone forest ecological characteristics, **25(1)**: 85–97  
population under Japanese, **4(1)**: 13–15  
status of candidate endangered bird species, **17 (1/2)**: 184–186
- Sakau, *see* Kava
- Sâmoa,  
American, pest control, taro, cultural methods, **Suppl. 3**: 123–127  
copepods, from microhabitats, **19(1/2)**: 57–90
- Sampling techniques, Brown Tree Snake, evaluation, **25(1)**: 23–40

- San Vitores' Blood, red tide, Guam, **24(1)**: 95–108 [with color plate]
- Sapwtakai, Pohnpei, in transition from *Saudeleur* to *Nahnmwarki*, **Suppl. 2**: 275–290
- Sargassum*, occurrence on two atolls, **12(2)**: 279–282
- Satawal,  
fish names, **18 (2)** 1–34  
turtle resources and harvesting, **10(2)**: 207–221
- Saudeleur* to *Nahnmwarki* transformation, Pohnpei, **Suppl. 2**: 275–290
- Scaevela paulayi*, n. sp., **23(1)**: 3–4
- Schoenus tendo* ssp. *achaetus*, ssp. nov., **1(1)**: 104–105
- Scylla serrata*, mangrove crab, ecology, **24(2)**: 281
- Scyphozoa,  
freshwater jellyfish, Guam, **7(1/2)**: 229–230  
new shrimp commensal in *Cassiopeia*, Tonga, **21(1/2)**: 23–32
- Sea anemones, *see* Anthozoa
- Sea cucumbers, *see* Holothuroidea
- Seagrasses,  
browsing patterns of herbivorous fishes, **24(2)**: 294–295  
distribution in Micronesia, **13(2)**: 191–198  
distributional extensions, **12(2)**: 317–318  
epiphytized or not, assimilation by rabbitfish, **24(2)**: 296  
*Thalassodendron ciliatum*, Philippines, **18 (2)**: 103–108
- Sea hares, *see* Opisthobranchia
- Sea level change,  
and the peopling of Palau, **Suppl. 2**: 213–229  
Guam, **14(1)**: 1–11
- Sea level fluctuations, and mass mortalities of reef animals, Guam, **11(2)**: 227–243
- Sea urchins, *see* Echinoidea
- Seals, occurrence in Micronesia, **24(2)**: 224
- Seasonal reckoning, Palau, **12(2)**: 211–246
- Sedges, Micronesia, **1(1)**: 59–112
- Sediments, detrital, from reef fronts, Northern Mariana Is., **24(2)**: 231–248
- Seeds and fruits, tropical, stranded in Japan, **20(1/2)**: 201–213
- Sepia latimanus*, reproductive behavior, **16(2)**: 235–260 [with color plates]
- Serum proteins, human, Yap, **11(1)**: 71–76
- Sesarma (Parasesarma) palauense*, n. sp., **7(1/2)**: 203–204
- Sesarmoides novabritannia*, n. sp., **21(1/2)**: 181–187
- Sessiligoga elongata*, n. gen., n. sp., **23(1)**: 16–23
- Settlement patterns, villages, Yap Outer Islands, **Suppl. 2**: 75–88
- Settlement, Micronesia, relationships with Southeast Asia, **Suppl. 2**: 241–246
- Sewage, resolution on, **5(2)**: 255

- Sexual dimorphism,  
in labrid fish genus *Anampses*, **8(1/2)**: 151–195  
*Petroscirtes variabilis*, **17 (1/2)**: 157–160
- Shark attacks,  
Chuuk, **7(1/2)**: 230–233  
Palau, **7(1/2)**: 233–234
- Sharks, new records from Guam, **9(1)**: 159–160
- Shell damage, gastropod, survival, **16(2)**: 229–234
- Shell tools,  
and slaked lime use, **Suppl. 2**: 47–63  
Angaur, **Suppl. 1**: 19–26  
Aulong, **Suppl. 1**: 65–67  
Babeldaob, **Suppl. 1**: 142  
Koror, **Suppl. 1**: 90–92  
Kwajelein, **Suppl. 2**: 231–239  
Peleliu, **Suppl. 1**: 34–46  
Pohnpei, **Suppl. 2**: 191–199
- Shorebirds, Guam, seasonality and abundance, **17 (1/2)**: 181–184
- Shrews, introductions in Mariana Is., **10(1)**: 42–46
- Shrimps,  
alpheid, Marshall and Caroline Islands, **4(2)**: 261–294  
alpheid and ogyridid, checklist, Philippines and South China Sea, **14(2)**: 215–257  
caridea, host relationships, **12(1)**: 83–98  
deepwater, fishery potential, Guam, **24(2)**: 282–283  
painted,  
biology, **9(2)**: 225–230  
smell and pair bonding, **9(2)**: 231–236  
pontoniine,  
commensal with scyphozoan, Tonga, **21(1/2)**: 23–32  
Fiji, **17 (1/2)**: 77–95; errata: 18(1)  
Solomon Islands, **16(2)**: 261–269  
prawn, freshwater, agonistic behavior, **24(2)**: 289
- Siganid fishes,  
food and assimilation efficiency, **24(2)**: 277  
growth and mariculture potential, **24(2)**: 280–281  
juvenile siganid harvest, Guam, **12(2)**: 323–325  
juvenile siganid harvest, Philippines, **22(2)**: 191–195  
*Siganus canaliculatus*, life history in Palau, **13(2)**: 297–312  
spawning in captive *Siganus canaliculatus*, **11(2)**: 199–204  
rearing and larval development *Siganus canaliculatus*, **10(2)**: 285–298
- Sigmadocia symbiotica*, n. sp.**, **3(2)**: 183–184
- Sinularia*, chemical defenses against butterflyfish, **24(2)**: 296

- Sipuncula,  
associated with coral communities, **12(1)**: 119–132  
worms, Guam, **7(1/2)**: 137–151
- Snails, *see* Gasteropoda
- Snake, Brown Tree, *Boiga irregularis*,  
introduction and impact on Guam, **Suppl. 3**: 63–69  
evaluation of methods for estimating population size, **25(1)**: 23–40
- Social complexity,  
Chuuk and Marianas, vs. resources, **Suppl. 2**: 117–124  
Kosrae and Chuuk, vs. conflict, **Suppl. 2**: 291–301  
Pohnpei, overlooked complexity, **Suppl. 2**: 137–151  
Pohnpei, transition from *Saudeleur* to *Nahnmwarki*, **Suppl. 2**: 275–290
- Society and customs, changes after typhoon, **1(1)**: 1–48
- Society Islands, vascular plants, **8(1/2)**: 43–49
- Socio-political organization, Yap Outer Islands, implications for archaeology,  
**Suppl. 2**: 75–88
- Soft corals,  
chemical defenses against butterflyfish, **24(2)**: 296  
Guam, **24(2)**: 281
- Soil survey, Mangilao, Guam, **2(1)**: 77–85
- Soil, pathogenic fungus, *Pythium acanthicum* on Guam, **4(2)**: 363
- Solomon Is.,  
epistemology of Antua Islanders, **14(2)**: 127–137  
new earthworm, **8(1/2)**: 121–123  
pontoniine shrimp, **16(2)**: 261–269  
sponges and sponge habitats, **7(1/2)**: 99–121
- Sorol, marine algae, **4(2)**: 137–206, **5(1)**: 25–119
- Spawning, natural and induced, captive *Siganus*, **11(2)**: 199–204
- Sphacelaria carolinensis*, n. sp., **7(1/2)**: 55–56, 76–77
- Sphenomeris chinensis* var. *hawaiensis*, n. var., **18 (1)**: 131–132
- Sphenomeris chinensis* var. *tenuisecta*, n. var., **18 (1)**: 132
- Spherical mealybug, *Nipaecoccus vastator*, resistance to predation, **16(2)**: 360–362
- Spiders,  
*Cyrtophora moluccensis*, web, reproduction and commensals, **10(1)**: 51–55  
Ngerukewid Islands Wildlife Preserve, Palau, **24(2)**: 211–215
- Spirorbinae, Eniwetok, **5(1)**: 151–153
- Spirorbis (Pileolaria) polyoperculatus*, n. sp., **5(1)**: 151–153
- Sponges, *see* Porifera
- Spyridia velasquezii*, n. sp., **7(1/2)**: 53–54, 74–77
- Starfish, *see* Asteroidea
- Stolephorzis pacificus*, n. sp., **19(1/2)**: 151–156

- Stromatolites, production and deposition, Guam, **24(2)**: 298  
*Strongylodon lucidus*, flower color on Guam, **24(1)**: 161 [with color plate]  
*Stylocordyla australis*, n. sp., **8(1/2)**: 128–130  
*Stylocordyla fragilis*, n. sp., **8(1/2)**: 131–132  
Sulfur scrubber, effluent effect on *Gracilaria*, **24(2)**: 291  
Surgeonfish, *see* Acanthurid fishes  
*Suruhanos/suruhanas*, Guam, **14(1)**: 13–67  
Symbiosis,  
    among reef animals, **12(1)**: 67–148  
    caridean shrimps on reefs, **12(1)**: 83–98  
    crabs, brachyuran, and scleractinian corals, **12(1)**: 99–110  
    didemnid ascidians-algae, **18 (1)**: 95–127 [with color plates]  
    echinoderms, epizoic, **12(1)**: 111–117  
    molluscs associated with corals, **12(1)**: 133–148  
    new shrimp associated with fungid coral, **13(1)**: 33–43  
    pyrgomatine barnacles in corals, **12(1)**: 69–82  
    sipunculan, association with ahermatypic corals, **12(1)**: 119–122  
*Synalpheus readi*, n. sp., **8(1/2)**: 137–140  
*Syngnathoides biaculeatus*, egg hatching, **10(2)**: 279–283
- Tabuaeran [Fanning Atoll],  
    Gilbertese and Ellice Islander names for organisms, **14(2)**: 177–197  
    *Eucheuma* mariculture **18 (2)**: 35–44  
    invasion of coral reef by tilapia, **16(2)**: 349–355
- Taenioides limicola*, n. sp., **1(1)**: 145–150  
Tahiti, diet, changes and economics, **2(1)**: 1–14  
Taiwan,  
    new coral-inhabiting crabs, **19(1/2)**: 123–129  
    new synaptid holothurian, **21(1/2)**: 33–38
- Tarawa Atoll,  
    heavy metals in freshwater ponds, **21(1/2)**: 257–266  
    lagoon circulation, nutrient fluxes, and the impact of human waste, **17 (1/2)**: 161–179  
    land survey, **4(1)**: 19–25  
    land tenure, **4(1)**: 27–37
- Teeth,  
    decay, prehistoric, Rota, **Suppl. 2**: 349–362  
    dentition evidence for origins of Chamoro (Guam) people, **Suppl. 2**: 403–416
- Temperature, effects on echinoderm embryo development, **24(2)**: 276–277  
Temporal variation,  
    fishes, upper reef slope, **24(2)**: 292  
    zooplankton, **24(2)**: 292

- Terminalia glabrata* var. *intonsa*, n. var., **23(1)**: 2  
*Terpios granulosa*, n. sp., **3(2)**: 168–169  
*Terpios* growth, toxicity, distribution, Guam, **9(2)**: 237–242  
*Terpios*, growth and distribution, effect of light and substrate, **24(2)**: 291  
Terraces, Uluang, Palau, **Suppl. 2**: 125–136  
*Thalamita miyakei* n. sp., **7(1/2)**: 188–190  
*Thalassodendron ciliatum*, presence in Philippines, **18 (2)**: 103–108  
*Thelenota anax*, morphology, ecology and distribution, **14(1)**: 115–122  
*Thelenota rubralineata* n. sp., **24(1)**: 57–64 [with color plate]  
Thermal stress, *Linckia*, **11(2)**: 167–183  
Thermocline, and seasonality of pelagic fish, Guam, **23(2)**: 131–138  
*Thorea gaudichaudii* from Guam and Okinawa, **15(1/2)**: 35–39  
Tidepools,  
    as polychaete refuges, **16(1)**: 43–58  
    goby ecology, Guam, **19(1/2)**: 157–164  
Tilapia, invasion of coral reef, Tabuaeran, **16(2)**: 349–355  
*Timonius* in Palau, **20(1/2)**: 157–164  
Tinian,  
    mammals, **23(2)**: 167–180  
    status of candidate endangered bird species, **17 (1/2)**: 184–186  
Toad, population dynamics and reproduction, Guam, **24(2)**: 283–284  
Tonga,  
    copepods, from microhabitats, **19(1/2)**: 57–90  
    'Eua, endemic flora, **1(1)**: 113–122  
    new shrimp commensal in *Cassiopeia*, **21(1/2)**: 23–32  
    vegetation and anthropogenic disturbance, Tongatapu, **21(1/2)**: 279–281  
Tools, prehistoric,  
    and use of slaked lime, **Suppl. 2**: 47–63  
    pots as tools, **Suppl. 2**: 33–45  
Toxic marine life,  
    new poisonous crab, *Demania toxica*, **7(1/2)**: 179–183  
    sea anemone, *Actinodendron plumosum*, **7(1/2)**: 123–136  
    *Turbo* spp., **7(1/2)**: 153–162  
Toxic marine life, encrusting sponge, *Terpios*, **9(2)**: 237–242  
Toxicity, depth-charge chemicals on *Dascyllus aruanus*, **11(1)**: 109–113  
*Trachyrhamphus*, review of genus, **18 (2)**: 163–191  
Traditional knowledge, *see* Indigenous knowledge  
*Trapezia*, coral-inhabiting, Taiwan. **19(1/2)**: 123–129  
*Trapezicepon domeciae*, n. sp., **7(1/2)**: 172–176  
*Trichogorgia faulkneri*, n. sp., **10(2)**: 263–267 [with color plate]  
*Tridacna*, on Great Barrier Reef,  
    geographic distribution and abundance, **20(1/2)**: 215–223  
    spatial distribution and population dynamics, **20(1/2)**: 225–246

- Trididemnum banneri*, n. sp., 2(2): 177–178**
- Trochus*, growth, abundance, distribution, Guam, 24(2): 285
- Truk, *see* Chuuk
- Tuamotu Is., phytoplankton and primary productivity, Takapoto Atoll, 11(2): 159–166
- Tunicates, *see* Ascidians
- Turbo* spp., toxicity, 7(1/2): 153–162
- Turtles,
- harvesting, Central Carolines, 10(2): 207–221
  - hatchery, 3(1): 37–43
  - immature green and hawksbill, Papua New Guinea, 25(2): 145–153
  - leathery, conservation, 3(1): 37–43
  - nesting, Central Carolines, 10(2): 207–221
  - Ridley, in the western Caroline Islands, 11(1): 151–152
- Tuvalu, Ellis Islanders' names of fishes, 14(2): 177–193
- Typhoon
- effects on intertidal gasteropod populations, Enewetak, 16(2): 215–228
  - Karen (1962), attitudes and reactions in Guam, 2(1): 15–23
  - Ophelia (Ulithi, 1960)
    - physical impact, 1(1): 7–15
    - social impact, 1(1): 15–48
- Udotea polychotomis*, n. sp., 10(2): 243–249**
- Ujelang Atoll,
- coconut toddy and transition to manhood, 20(1/2): 1–18
  - bird sightings, 17 (1/2): 198–212
- Ulithi,
- as Isles of Sequeira, 11(1): 35–70
  - impact of Typhoon Ophelia, 1(1): 1–48
  - martial arts, 14(2): 139–176
- Ulul, marine algae, 4(2): 137–206, 5(1): 25–119
- Ulva*
- in Micronesia, 18 (2): 193–194
  - distribution on Pacific Islands, 4(2): 365–368
- Useful Plants of Guam*, nomenclatural changes, 1(1) :123–130
- UV-absorbing pigment in corals, 5(2): 313
- Varanus indicus*, monitor lizard,
- as a rat control agent, 3(1): 17–18
  - food and feeding habits, Guam, 2(1): 73–76
- Vascular plants, *see* Magnoliophyta
- Vegetation
- analysis,

- 'Eua I., Tonga, **1(1)**: 113–122  
Guam, **9(1)**: 45–58  
changes along complex environmental gradient, Guam, **12(2)**: 283–302;  
**24(2)**: 280  
patterns and dynamics on volcanoes, **3(2)**: 129–134
- Vernacular names,  
fish, Satawal, **18 (2)** 1–34  
plants,  
Kapingamarangi and Nukuoro Atolls, **2(2)**: 131–132  
Puluwat Atoll, **22(1)**: 23–63
- Vertebrates, terrestrial,  
*Bufo marinus*, population dynamics and reproduction, Guam, **24(2)**:  
283–284  
Ngerukewid Islands Wildlife Preserve, Palau, **23(1)**: 41–66  
*see also* Aves, Reptiles, etc.
- Viet Nam, poisonous sea anemone, **7(1/2)**: 123–136
- Waste, human, in Tarawa Atoll lagoon, **17 (1/2)**: 161–179
- Water supply, and health, prehistoric, Rota, **Suppl. 2**: 349–362
- Watershed, effect of land clearing, Guam, **24(2)**: 289
- Weeds,  
biological control, Marianas Islands, 1911–1988, **22(1)**: 91–94  
characteristics of potential weeds, **Suppl. 3**: 49  
*Chromolaena odorata*, distribution and control, **Suppl. 3**: 103–107  
introduced ornamental plants as, Guam, **Suppl. 3**: 47–50  
*Lantana camara*, biological control, **Suppl. 3**: 71–81
- Weinmannia parviflora** var. *myrsinifolia*, n. var., **8(1/2)**: 45–46
- West Fayu,  
in old accounts and maps, **11(1)**: 7–33  
turtle resources and harvesting, **10(2)**: 212–217
- Whales,  
and dolphins, Micronesia, annotated checklist, **24(2)**: 217–223  
beachings, Guam, **18 (1)**: 133–135  
dwarf sperm, Guam, **12(2)**: 327–332  
records from Guam, **19(1/2)**: 173–181
- Whiteflies, biological control, Marianas Islands, 1911–1988, **22(1)**: 81–82
- Wilson, Walter Scott, obituary, **12(2)**: 201
- Woleai Atoll, names and native classification of flora, **10(1)**: 1–5
- Women,  
education and family size, Chuuk, **18 (1)**: 1–21  
fishing methods, Kosrae, **25(1)**: 1–22  
marital infertility and primary sterility, Guam, **23(2)**: 119–129
- Worms, Gilbertese names, **14(2)**: 194

Wuvulu I., Papua New Guinea, natural assemblage of immature turtles, 145–153

Yap,

- agriculture and fishery development under Japanese, **4(1)**: 1–18
  - bird observations, **13(1)**: 49–56
  - divorce, remarriage, and fertility, **10(2)**: 237–242
  - freshwater algae, **23(1)**: 27–40
  - human serum proteins, **11(1)**: 71–76
  - marine algae, **4(2)**: 137–206, **5(1)**: 25–119
  - mortuary behavior, **Suppl. 2**: 153–169
  - Outer Islands, socio-political organization and implications for archaeology, **Suppl. 2**: 75–88
  - population under Japanese, **4(1)**: 13–15
  - traditional horticulture, **24(1)**: 35–40
  - finger print ridge counts, **1(1)**: 55–58
- see also*, Fais, Gaferut, Ifaluk, Satawal, Ulithi, West Fayu

Zoal larvae, *Thalamita*, **15(1/2)**: 309–314

Zonation,

- forest communities, Kosrae, **18 (2)**: 109–120
- limestone forest, Guam, **9(1)**: 45–58
- plant communities, Guam, **12(2)**: 283–302; **24(2)**: 280

Zooplankton, temporal variation, **24(2)**: 292