

c:\micrones\cumsubj.doc

**Micronesica: Vols 26–30; Suppl. 4  
Cumulative Subject Index**

- Acridoidea, checklist for Micronesia, 30(1): 127–168  
*Adoretus sinicus*, Chinese rose beetle, biological control, Suppl. 4: 93-98  
*Aerodramus vanikorensis bartschi*, island swiftlet, status on Guam, 28(1): 38  
 Agriculture,  
     cabbage, resistant to tipburn, 30(2): 435-437  
     climate change, and (book review), 27(1/2): 162-163  
     crop pests, 27(1/2): 139-151, 153-154  
     history on Guam, 30(2): 389-415  
     pest control, 30(2): 417-419, 421-427  
     supplementation of leaf meal for broiler chicks, 30(2): 429-434  
     sustainability vs. climate (book reviews), 27(1/2): 162-163  
 Agroforestry (book review), 27(1/2): 163  
 Airplane moths, monographic revision, 28(2): 131-151  
*Aleurocanthus spiniferus*, orange spiny whitefly, biological control, Suppl. 4: 62  
*Aleurodicus dispersus*, spiraling whitefly, biological control, Suppl. 4: 6, 61-62  
 Algae,  
     additions to Fiji flora, 26(2): 177-198  
     book notice, 26(1): 95  
     *Caulerpa*, Fiji species, 26(2): 109–138  
     colonial, on reefs, 28(1): 91-102  
     Fiji, revised checklist, 29(1): 49-98  
     food for freshwater gobies, 30(1): 71–82  
     in sediments, 28(1): 63  
     *Printzina bossei*, 30(1): 193–198  
     toxins, 26(1): 53-57  
 Alligator weed, Suppl. 4: 43  
*Alternanthera philoxeroides*, biological control, Suppl. 4: 43  
*Amblypsilopus belauensis*, n. sp. 27(1/2): 104-105  
*Amblypsilopus ponapensis*, n. sp. 27(1/2): 102-103  
*Amblypsilopus sabroskyi*, n. sp. 27(1/2): 105-107  
*Amblypsilopus trukensis*, n. sp. 27(1/2): 107-108  
 Amphidromy in freshwater gobies, 30(1): 3–14  
 Anadromy in freshwater gobies, 30(1): 3–14  
*Angraecum* scale, Suppl. 4: 13-14  
*Anisodes illepidaria*, population increases, Suppl. 4: 50-52  
 Ant Atoll, reptiles, birds and mammals, 29(1): 21-36  
 Aphid, on cucumber crops, 28(1): 25-30  
*Aphis gossypii*, melon aphid, 28(1): 25-30  
*Aplidiopsis ocellatus* n. sp. 29(2): 142–144  
*Aplidium controversum* n. sp. 29(2): 135–137  
*Aplidium lineatum* n. sp. 29(2): 137–139  
*Aplonis opaca*, Micronesian starling, status on Guam, 28(1): 36-38  
 Aquatic weeds, biological control, Suppl. 4: 41-47  
 Archeology, To'aga Site, American Samoa (book review) 27(1/2): 155-159  
 Arrow goby, early life history, 30(1): 15–23  
 Arthropods, exotic, terrestrial  
     origins and impact, Suppl. 4: 11-15

- Ascidia azurea* n. sp. 29(2): 231–233  
 Ascidians, new species and new records, 29(2): 133–279  
*Aspidiotus destructor*, coconut scale  
     biological control, Suppl. 4: 62-63  
*Asterocheres enwetakensis*, n. sp., 30(2): 259-267  
*Atriolum quadratum*, n. sp., 29(2): 183–184  
*Awaous guamensis*,  
     evolution, 30(1): 32–34  
     recruitment, 30(1): 67–69  
     food web, 30(1): 71–82  
 Banana skipper, Suppl. 4: 13, 99-105  
 Bat, Sheath-tailed, decline on American Sāmoa, 27(1/2): 133-137  
 Bees, foraging behavior, 26(1): 83-94  
 Biological control,  
     *Adoretus sinicus*, Suppl. 4: 93-98  
     agents introduced to American Sāmoa, Suppl. 4: 57-60  
     *Aleurocanthus spiniferus*, Suppl. 4: 62  
     *Aleurodicus dispersus*, Suppl. 4: 6, 61-62  
     *Aspidiotus destructor*, Suppl. 4: 62-63  
     *Chromalaena odorata*, Suppl. 4: 7, 64  
     *Conchaspis angraeci*, Suppl. 4: 13-14  
     *Dysmicoccus neobrevipes*, Suppl. 4: 13-14  
     *Erionota thrax*, Suppl. 4: 13, 99-105  
     floating weeds, Suppl. 4: 41-47  
     *Icerya aegyptiaca*, Suppl. 4: 63  
     *Lantana*, Suppl. 4: 63  
     *Levuana iridescens*, Suppl. 4: 4-5  
     *Liriomyza* spp., Suppl. 4: 81-92  
     *Liriomyza trifolii*, Suppl. 4: 63  
     *Nazara viridula*, Suppl. 4: 13, 63, 65-67  
     non-target species, Suppl. 4: 17-23  
     *Oryctes rhinoceros*, Suppl. 4: 5-6  
     *Othreis fullonia*, Suppl. 4: 25-31, 71  
     overview, Suppl. 4: 1-9  
     *Pseudauleacapsis pentagona*, Suppl. 4: 7  
     *Rhabdoscelus obscurus*, Suppl. 4: 13  
 Birds  
     Black Noddy colony, 26(2): 199-215  
     Bridled White-eye nest, 30(1): 183–185  
     checklist, Ant Atoll, 29(1): 21-36  
     checklist, Mokil and Pingelap, 28(1): 15-18  
     checklist, Pakin Atoll, 29(1): 37-48  
     food of migrants 27(1/2): 123-126  
     Moorhen habits 27(1/2): 127-132  
     new records in Mariana Islands, 28(1): 109-117  
     southern Marianas records, 26(2): 199-215  
 Black Noddies, colony on Cocos I., Guam, 26(2): 199-215  
 Book reviews/announcements,  
     *Agroforestry in the Pacific Islands*, 27(1/2): 163  
     *And No Birds Sing*, 27(1/2): 160-162  
     *Climate and Agriculture in the Pacific Islands*, 27(1/2): 162-163  
     *Fishes of the Galápagos Islands*. 30(2): 441-442

- Flowers of the Pacific Island Seashore*, 26(2): 227–228  
*Plundering Paradise*, 27(1/2):159-160  
*Résultats des Campagnes MUSORSTOM*, vol. 16. 30(2): 441  
*Selected Bibliography of 20th Century Geoscience*. 26(2): 227  
*South East Asia's Environmental Future*, 27(1/2): 163  
*The To'aga Site...* 27(1/2): 155-159  
*Wayside Plants of the Islands*, 29(2): 313
- Bohadschia marmorata*,  
 burying behavior, 30(2): 245-257  
 end-plate spicules, 30(1): 187–192
- Botryllus firmus***, n. sp. 29(2): 238–240
- Botryococcus*, in sediment cores, 28(1): 63
- Bridled White-eye nest, 30(1): 183–185
- Brown tree snake, effect on geckos, 28(2): 193-202
- Cabbage, tipburn resistant variety, 30(2): 435-437
- Calycomyza lantanae*, control of lantana, 30(2): 417-419
- Carolinotettix palauensis***, n. sp., 30(1): 155–156
- Caulerpa*, Fiji species, 26(2): 109-138
- Caulerpella*, 26(2): 132-133
- Chelionia mydas*, migration, 28(1): 1-8
- Chesterfield Is. (Coral Sea), fishes checklist, 27(1/2): 1-43
- Chinese rose beetle, Suppl. 4: 93-98
- Chlidonias leucopterus*, and *C. hybridus*, mixed flocks, 28(2): 203-206
- Chromalaena odorata*, Siam weed, biological control, Suppl. 4: 7, 64
- Chrysocystis fragilis***, n. gen., n. sp., 28(1): 93-98
- Chrysonephos lewisii*, 28(1): 98
- Chrysophaeum taylori*, 28(1): 99-100
- Chrysophyta, 28(1): 91-102
- Chrysosoma agrihan***, n. sp., 27(1/2): 87
- Chrysosoma clarkei***, n. sp., 27(1/2): 88-89
- Chrysosoma guamense***, n. sp., 27(1/2): 81-82
- Chrysosoma kusaiense***, n. sp., 27(1/2): 85-87
- Chrysosoma mariana***, n. sp., 27(1/2): 87-88
- Chrysosoma pelagica***, n. sp., 27(1/2): 93-94
- Chrysosoma townsesi***, n. sp., 27(1/2):84-85
- Chrysosoma yapense***, n. sp., 27(1/2):83-84
- Chuuk, ascidians, 29(2): 133–279
- Ciguatera, 26(1): 11-18, 65
- Ciliophora, *Stentor* population, marine, 29(1): 99-100
- Circadian rhythm, in sea cucumber, 30(2): 245-257
- Cirrhitichthys*, synonymy, 30(1): 199–203
- Clevelandia ios*, early life history, 30(1): 15–23
- Click beetles, Philippines, monographic revision, 28(2): 153-191
- Climate change and agriculture, book review, 27(1/2): 162-163
- Cockroaches, checklist, 30(2): 273-291
- Coconut, pre-human in Guam, 28(1): 68
- Coleus blumei*, as pest control agent, Suppl. 4: 69-77
- Competition,  
     between geckos, 28(2): 193-202  
     native vs. introduced trees, 26(2): 99-108
- Conchaspis angraeci*, angraecum scale  
     biological control, Suppl. 4: 14

## Conferences,

- Biological control of exotic pests, Suppl. 4
- Freshwater gobies, 30(1): 1-125
- Seaweed poisonings, 26(1): 1-67
- Copepods, new species from sponge, 30(2): 273-291
- Corvus kubaryi*, Marianas crow, status on Guam, 28(1): 34-36
- Cotesia erionotae*, control of *Erionota*, Suppl. 4: 99-105
- Crabs, collected by women, Palau, 28(1): 85-86
- Crop pests, natural enemies, Suppl. 4: 69-77
- Cryptoblepharus poecilopleurus*, snake-eyed skink, habitat selection, 28(1): 103-108
- Dasyrhicnoessa asymbasia*, n.sp. 27(1/2):56-58
- Dasyrhicnoessa boninensis*, n.sp. 27(1/2):58-59
- Dasyrhicnoessa phyllodes*, n.sp. 27(1/2):64-66
- Deer, effect on limestone forest trees, 30(1): 169-181
- Diazona angulata* n. sp. 29(2): 217-219
- Diazona carnosa* n. sp. 29(2): 219-220
- Diazona formosa* n. sp. 29(2): 222-224
- Diazona labyrinthea* n. sp. 29(2): 224-226
- Diazona tenera* n. sp. 29(2): 226-227
- Didemnum guttatum* n. sp. 29(2): 153-155
- Didemnum linguiferum* n. sp. 29(2): 155-156
- Didemnum nigrum* n. sp. 29(2): 158-159
- Didemnum poecilomorpha* n. sp. 29(2): 160-163
- Didemnum rubeum* n. sp. 29(2): 164-165
- Didemnum stercoratum* n. sp. 29(2): 165-167
- Diplosoma multitestis* n. sp. 29(2): 168-170
- Diptera,
  - Dolichopodidae 27(1/2):73-118
  - Tethinidae 27(1/2):51-72
- Disturbed habitats, 26(2): 99-108
- Dysmicoccus neobrevipes*, gray pineapple mealybug, biological control, Suppl. 4: 13-14
- Earwigs, checklist, 30(2): 307-321
- Eichhornia crassipes*, biological control, Suppl. 4: 43
- Endangered species, status on Guam, 28(1): 31-49
- Environmental issues (book reviews), 27(1/2):159-162
- Epidemiology, 28(1): 119-125
- Epilachna philippinensis*, Philippine lady beetle, biological control, Suppl. 4: 79-80
- Epilachna vigintioctopunctata*, susceptibility of tomatoes to, 27(1/2):139-151
- Ercheia dubia*, biological control, Suppl. 4: 37
- Erionota thrax*, banana skipper, biological control, Suppl. 4: 13, 99-105
- Eudistoma fasciculum* n. sp. 29(2): 187-188
- Eudistoma incrustatum* n. sp. 29(2): 189-190
- Eudistoma rubiginosum* n. sp. 29(2): 193-194
- Eutrophication, sewage nutrients in Guam waters, 26(2): 155-175
- Fecal bacteria in coastal waters, 26(2): 155-175
- Federated States of Micronesia, biological control agents, Suppl. 4: 61-64
- Fertilizer, effect on aphid infestation, 28(1): 25-30
- Fiji,
  - Caulerpa* spp., 26(2): 109-138
  - Lapita-associated skeleton, 30(2): 355-388
  - marine algae, revised checklist, 29(1): 49-98
  - seaweed list, 26(2): 177-198

## Fishes,

- amphidromy, 30(1): 3–14
  - anadromy, 30(1): 3–14
  - arrow goby, 30(1): 15–23
  - behavioral interactions, 30(1): 51–70
  - checklist of Chesterfield Is., 27(1/2):1-43
  - cranium metamorphosis, 30(1): 93–104
  - Cirrhitichthys*, synonymy, 30(1): 199–203
  - dispersal and distribution, 30(1): 51–70, 83–91
  - evolution and life history patterns, 30(1): 27–40
  - feeding dynamics, 30(1): 71–82
  - food webs, 30(1): 71–82
  - gobies, freshwater, symposium, 30(1): 1–125
  - introduced poeciliids and parasites, 30(1): 105–115, 117–125
  - landlocking, 30(1): 30–31
  - larval development, 30(1): 15–23
  - mangrove species list, 29(1): 1-19
  - misidentifications, 27(1/2):119-121
  - new goatfish, 26(1): 69-75
  - new soldierfish, 26(1): 77-81
  - new records, Mariana Islands, 28(2): 207-266
  - parasites, 30(1): 105–115, 30(1): 117–125
  - recruitment, 30(1): 25,30(1): 41–49, 30(1): 55–60
  - reproductive biology, 30(1): 29–30
  - schooling, 30(1): 60–61
  - settlement of larvae, 30(1): 15–23
  - species harvested by women, Palau, 28(1): 86-88
  - synonymy in *Cirrhitichthys*, 30(1): 199–203
- Fosberg, F. Raymond, obituary 27(1/2):164-165
- Fruit piercing moths, Suppl. 4: 25-31, 33-39, 71
- Geckos and skinks,
- checklist, Mokil and Pingelap, 28(1): 13-15
  - interspecific interactions, 28(2): 193-202
  - snake-eyed skink, habitat selection, 28(1): 103-108
  - status on Guam, 28(1): 42
- Geology, bibliography (book review), 26(2): 227
- Gobies, freshwater,
- amphidromy, 30(1): 3–14
  - anadromy, 30(1): 3–14
  - arrow goby, 30(1): 15–23
  - behavioral interactions, 30(1): 51–70
  - cranium metamorphosis, 30(1): 93–104
  - dispersal and distribution, 30(1): 51–70,30(1): 83–91
  - evolution and life history patterns, 30(1): 27–40
  - feeding dynamics, 30(1): 71–82
  - food webs, 30(1): 71–82
  - freshwater gobies, symposium, 30(1): 1–125
  - introduced poeciliids and parasites, 30(1): 105–115, 30(1): 117–125
  - landlocking, 30(1): 30–31
  - larval development, 30(1): 15–23
  - parasites, 30(1): 105–115, 30(1): 117–125
  - recruitment, 30(1): 25, 41–49, 30(1): 55–60

- reproductive biology, 30(1): 29–30
- schooling, 30(1): 60–61
- settlement of larvae, 30(1): 15–23
- Gracilaria tsudae*,
  - photo, 26(1): 10
  - toxicity, 26(1): 45-47
- Grasshoppers, checklist for Micronesia, 30(1): 127–168
- Great Barrier Reef, algal turf book, 26(1): 95
- Green stink bug, Suppl. 4: 13, 63, 65-67
- Grey pineapple mealybug, Suppl. 4: 13-14
- Guam,
  - agriculture in 20th century, 30(2): 389-415
  - gecko interactions, 28(2): 193-202
  - golden algae, 28(1): 93-98
  - limestone forest recruitment, 30(1): 169–181
  - local poultry feed ingredients, 26(2): 139-145, 147-153
  - moorhen habits, 27(1/2):127-132
  - new soldierfish, 26(1): 77-81
  - pollen records, 28(1): 51-76
  - seaweed poisoning, 26(1): 19-67
  - snake story (book review), 27(1/2):161-162
  - soft corals, 30(2): 207-244
  - tipburn-resistant cabbage, 30(2): 435-437
  - water quality, 26(2): 155-175
- Guam seaweed poisoning,
  - assay for palytoxin, 26(1): 49-52
  - autopsy findings, 26(1): 33-34
  - contamination investigation, 26(1): 43-44
  - discussion, 26(1): 59-67
  - food histories, 26(1): 35-38
  - Gracilaria* toxins, 26(1): 53-57
  - Japan seaweed poisonings, 26(1): 53-54
  - pathology of patients, 26(1): 31-32
  - seaweed environment, 26(1): 39-41
  - seaweed handling, 26(1): 39-41
  - seaweed testing, 26(1): 45-47
  - symptoms, 26(1): 19-21, 26(1): 23-29
  - treatment, 26(1): 23-29
- Hawai'i,
  - goby dispersal and distribution, 30(1): 51–70
  - goby metamorphosis, 30(1): 93–104
  - goby recruitment, 30(1): 41–49
  - introduced arthropods, Suppl. 4: 11-15
- Helminths, 30(1): 105–115
- Hemidactylus frenatus*, interaction with native geckos, 28(2): 193-202
- Hens, feed sources, 26(2): 139-145, 147-153
- Heritiera longipetiolata*, status on Guam, 28(1): 43
- Heteropsylla spinulosa*, control of mimosa, 30(2): 421-427
- Holocene environment, Guam, 28(1): 51-76
- Humans,
  - prehistoric effect on vegetation, 28(1): 51-76

- prehistoric occupation of Guam, 28(1): 51-76  
 skeleton from Waya I., 30(2): 355-388
- Hydrotettix carolinensis*** n. sp., 30(1): 156-158
- Hypolimnas bolina*, biological control, Suppl. 4: 17-23
- Icerya aegyptiaca*, fluted scale, biological control, Suppl. 4: 63
- Indonesia, ascidians, 29(2): 133-279
- Insects,
- acridoidea checklist, 30(1): 127-168
  - airplane moths of Micronesia, 28(2): 131-151
  - biological control agents, 30(2): 417-419, 421-427
  - click beetles of Philippines, 28(2): 153-191
  - legends, 30(2): 295, 322
  - orthopteroid, checklist, 30(2): 269-353
- Insects of Micronesia
- 14(8). Diptera: Dolichopodidae (part), 27(1/2): 73-118
  - 13(8). Diptera: Tethinidae, 27(1/2): 51-72
  - 9(3). Lepidoptera: Pterophoridae, 28(2): 131-151
  - list of Bishop Museum publications, 27(1/2): 46-49
- Intercropping, Suppl. 4: 69-77
- Introduced species,
- freshwater fish and parasites, 30(1): 105-115, 30(1): 117-125
  - gecko interactions, 28(2): 193-202
  - pigs and deer vs. forest trees, 30(1): 169-181
  - pollen evidence for human introductions, 28(1): 68-69
- Jatropha integrima*, floral structure and bee foraging, 26(1): 83-94
- Krakatauia micronesiana***, n. sp. 27(1/2): 99-100
- Lantana*, biological control, Suppl. 4: 63; 30(2): 417-419
- Lapita, 30(2): 355-388
- Leaf insects, checklist, 30(2): 322-334
- Leafminers, Suppl. 4: 63, 81-92
- Legends involving insects,
- termites, Caroline Is., 30(2): 295
  - walking sticks, Cook Is., 30(2): 322
- Lentipes concolor*, recruitment, 30(1): 65-66
- Lepidodactylus lugubris*, range expansion on Guam, 28(2): 193-202
- Lepidoptera: Pterophoridae, 131-151
- Leptoclinides oscitans*** n. sp. 29(2): 177-178
- Leptoclinides sulawesii*** n. sp. 29(2): 180-182
- Leptoclinides uniorbis*** n. sp. 29(2): 182-183
- Lethrinus semicinctus*, not in Mariana Is., 27(1/2): 119-121
- Leucaena* leaf meal, 26(2): 147-153
- Leucaena leucocephala*,
- as poultry feed, 26(2): 99-108
  - forest succession, 26(2): 99-108
- Levuana iridescens*, levuana moth, biological control, Suppl. 4: 4-5
- Levuana moth, Suppl. 4: 4-5
- Limestone, mineral analysis, 26(2): 139-145
- Limestone forest,
- regeneration, 26(2): 99-108
  - tree demography, 30(1): 169-181
- Liriomyza* spp., leafminers, biological control, Suppl. 4: 81-92
- Liriomyza trifolii*, bean leafminer, biological control, Suppl. 4: 63

- Lissoclinum badium* n. sp. 29(2): 170–173  
*Lissoclinum nebulosum* n. sp. 29(2): 173–174  
*Lissoclinum tunicatum* n. sp. 29(2): 174–175  
 Majuro, ciguatera incidence, 26(1): 14-18  
 Mammals,  
     checklist, Mokil and Pingelap, 28(1): 18-19  
     on Ant Atoll, 29(1): 21-36  
     on Pakin Atoll, 29(1): 37-48  
 Mango shoot caterpillar, Suppl. 4: 50-52  
 Mangrove clam collection, Palau, 28(1): 84-85  
 Mangroves, fish species in New Caledonia, 29(1): 1-19  
 Mantids, checklist, 30(2): 291-294  
 Mariana Islands,  
     cranial superstructures, 29(2): 281–298  
     fish misidentifications, 27(1/2):119-121  
     fish records, 28(2): 207-266  
     forest regeneration, 26(2): 99-108  
     new goatfish, 26(1): 69-75  
     skink habitats, 28(1): 103-108  
     tern flocks, 28(2): 203-206  
 Marine resources, collected by women, Palau, 28(1): 77-99  
 Marshall Islands, biological control agents, Suppl. 4: 61-64  
*Medetera babelthaup*, n. sp., 27(1/2):109-111  
 Mengidabrudkoel, 26(2): 221-225  
 Micronesia,  
     Orthopteroid insects, 30(2): 269-353  
     grasshoppers, 30(1): 127–168  
     and see specific countries and islands  
*Mimosa invisia*, biological control, 30(2): 421-427  
 Mokil, vertebrates, 28(1): 9-23  
 Molluscs, as prehistoric food, 26(1): 95  
 Moorhen, Mariana Common, nesting and growth 27(1/2):127-132  
 Moths, native vs. introduced, Suppl. 4: 49-56  
*Nazara viridula*, green stink bug, biological control, Suppl. 4: 13, 63, 65-67  
*Nephila maculata*, courtship behavior, 26(2): 221-225  
 New Caledonia, mangrove fish checklist, 29(1): 1-19  
 New taxa, algae,  
     *Chrysocystis fragilis*, n. gen., n. sp., 28(1): 93-98  
 New taxa, ascidians,  
     *Aplidiopsis ocellatus*, n. sp., 29(2): 142–144  
     *Aplidium controversum*, n. sp., 29(2): 135–137  
     *Aplidium lineatum*, n. sp., 29(2): 137–139  
     *Ascidia azurea*, n. sp., 29(2): 231–233  
     *Atriolum quadratum*, n. sp., 29(2): 183–184  
     *Botryllus firmus*, n. sp., 29(2): 238–240  
     *Diazona angulata*, n. sp., 29(2): 217–219  
     *Diazona carnosa*, n. sp., 29(2): 219–220  
     *Diazona formosa*, n. sp., 29(2): 222–224  
     *Diazona labyrinthea*, n. sp., 29(2): 224–226  
     *Diazona tenera*, n. sp., 29(2): 226–227  
     *Didemnum guttatum*, n. sp., 29(2): 153–155  
     *Didemnum linguiferum*, n. sp., 29(2): 155–156



- Didemnum nigrum*, n. sp., 29(2): 158–159  
*Didemnum poecilomorpha*, n. sp., 29(2): 160–163  
*Didemnum rubeum*, n. sp., 29(2): 164–165  
*Didemnum stercoratum*, n. sp., 29(2): 165–167  
*Diplosoma multitestis*, n. sp., 29(2): 168–170  
*Eudistoma fasciculum*, n. sp., 29(2): 187–188  
*Eudistoma incrustatum*, n. sp., 29(2): 189–190  
*Eudistoma rubiginosum*, n. sp., 29(2): 193–194  
*Leptoclinides oscitans*, n. sp., 29(2): 177–178  
*Leptoclinides sulawesii*, n. sp., 29(2): 180–182  
*Leptoclinides uniorbis*, n. sp., 29(2): 182–183  
*Lissoclinum badium*, n. sp., 29(2): 170–173  
*Lissoclinum nebulosum*, n. sp., 29(2): 173–174  
*Lissoclinum tunicatum*, n. sp., 29(2): 174–175  
*Plurella kottae*, n. sp., 29(2): 235–237  
*Polycarpa rima*, n. sp., 29(2): 254–255  
*Polycarpa tokiokai*, n. sp., 29(2): 255–258  
*Pseudodistoma coronatum*, n. sp., 29(2): 145–147  
*Pseudodistoma megalarva*, n. sp., 29(2): 147–148  
*Pseudodistoma poculum*, n. sp., 29(2): 148–149  
*Stolonica limbata*, n. sp., 29(2): 245–247  
*Trididemnum polyorchis*, n. sp., 29(2): 150–152
- New taxa, copepods,  
*Asterocheres enewetakensis*, n. sp., 30(2): 259–267
- New taxa, fishes,  
*Ostichthys brachygnathus*, n. sp., 26(1): 77–81  
*Plectranthias jothyi*, n. sp., 29(2): 122–126  
*Plectranthias knappi*, n. sp., 29(2): 126–128
- New taxa, insects  
*Amblypsilopus belauensis*, n. sp., 27(1/2): 104–105  
*Amblypsilopus ponapensis*, n. sp., 27(1/2): 102–103  
*Amblypsilopus sabroskyi*, n. sp., 27(1/2): 105–107  
*Amblypsilopus trukensis*, n. sp., 27(1/2): 107–108  
*Carolinotettix palauensis*, n. sp., 30(1): 155–156  
*Chrysosoma agrihan*, n. sp., 27(1/2): 87  
*Chrysosoma clarkei*, n. sp., 27(1/2): 88–89  
*Chrysosoma guamense*, n. sp., 27(1/2): 81–82  
*Chrysosoma kusaiense*, n. sp., 27(1/2): 85–87  
*Chrysosoma mariana*, n. sp., 27(1/2): 87–88  
*Chrysosoma pelagica*, n. sp., 27(1/2): 93–94  
*Chrysosoma townsesi*, n. sp., 27(1/2): 84–85  
*Chrysosoma yapense*, n. sp., 27(1/2): 83–84  
*Dasyrhicnoessa asymbasia*, n.sp., 27(1/2): 56–58  
*Dasyrhicnoessa boninensis*, n.sp., 27(1/2): 58–59  
*Dasyrhicnoessa phyllodes*, n.sp., 27(1/2): 64–66  
*Hydrotettix carolinensis*, n. sp., 30(1): 156–158  
*Krakatauia micronesiana*, n. sp., 27(1/2): 99–100  
*Medetera babelthaup*, n. sp., 27(1/2): 109–111  
*Paralabellula brindleyi*, n. comb. 30(2): 318  
*Priopus bakeri*, n. sp., 28(2): 158  
*Priopus bicolor*, n. sp., 28(2): 170–171

- Priopus bolmi*, n. sp., 28(2): 171-172  
*Priopus brunneus*, n. sp., 28(2): 172  
*Priopus carinatus*, n. sp., 28(2): 172-174  
*Priopus crassiusculus*, n. sp., 28(2): 176  
*Priopus girardi*, n. sp., 28(2): 181  
*Priopus hayekae*, n. sp., 28(2): 161-163  
*Priopus hiekei*, n. sp., 28(2): 163-164  
*Priopus inflammatum*, n. sp., 28(2): 165  
*Priopus infuscatus*, n. sp., 28(2): 164-166  
*Priopus longicornis*, n.sp., 28(2): 166-167  
*Priopus merkli*, n. sp., 28(2): 182  
*Priopus oberthueri*, n. sp., 28(2): 184  
*Priopus samuelsoni*, n. sp., 28(2): 185  
*Priopus schadenbergi*, n. sp., 28(2): 185-186  
*Priopus torrevillasi*, n. sp., 28(2): 186-188  
*Priopus whiteheadi*, n. sp., 28(2): 188  
*Priopus zwaluwnburgi*, n. sp., 28(2): 188-189  
*Syntormon boninense*, n. sp. 27(1/2):112-113
- New taxa, soft corals,
- Sinularia paulae*, n. sp., 30(2): 231-237
- Nutrients, nitrate and phosphate from sewage, 26(2): 155-175
- Orthopteroid insects, non-saltatorial, checklist, 30(2): 269-353
- Oryctes rhinoceros*, rhinoceros beetle, biological control, Suppl. 4: 5-6
- Ostichthys brachygnathus*, n. sp., 26(1): 77-81
- Othreis fullonia*, fruit piercing moth, biological control, Suppl. 4: 25-31, 34-38, 71
- Pakin Atoll, reptiles, birds and mammals, 29(1): 37-48
- Palau,
- ascidians, 29(2): 133-279
  - freshwater goby distribution, 30(1): 86-88
  - prehistoric food shells, 26(1): 95
  - spider behavior, 26(2): 221-225
  - women's fishing, 28(1): 77-99
- Paleoenvironment, Orote Peninsula, Guam, 28(1): 51-76
- Palythoa toxin, 26(1): 49-52, 64
- Papua New Guinea, ascidians, 29(2): 133-279
- Parasites, of freshwater gobies, 30(1): 105-115, 30(1): 117-125
- Parasitoids, in butterfly control, Suppl. 4: 17-23
- Parupeneus moffitti*, n. sp., 26(1): 69-75
- Passionfruit scale, Suppl. 4: 7
- Pediobius foveolatus*, Suppl. 4: 79-80
- Penicillaria jocostratix*, mango shoot caterpillar, biological control, Suppl. 4: 50-52
- Pericyma cruegeri*, biological control, Suppl. 4: 36-37
- Pest introductions, Suppl. 4: 1-9
- Pests, crop,
- on cruciferous plants in Yap, 27(1/2):153-154
  - tomato beetle in Sāmoa, 27(1/2):139-151
- Philippine lady beetle, Suppl. 4: 79-80
- Philippines,
- ascidians, 29(2): 133-279
  - click beetles, 28(2): 153-191
  - environmental destruction (book review), 27(1/2):159-161

- Physical anthropology  
     cranial superstructures, 29(2): 281–298  
     Lapita skeleton. 30(2): 355–388
- Pigs, effect on limestone forest trees, 30(1): 169–181
- Pingelap, vertebrates, 28(1): 9–23
- Pistia stratoites*, biological control, Suppl. 4: 43
- Plectranthias jothyi***, n. sp., 29(2): 122–126
- Plectranthias knappi***, n. sp., 29(2): 126–128
- Plectropomus areolatus*, not in Mariana Is., 27(1/2): 119–121
- Plurella kottae***, n. sp., 29(2): 235–237
- Pohnpei,  
     biocontrol of *Lantana camera*, 30(2): 417–419  
     biocontrol of *Mimosa invisia*, 30(2): 421–427  
     freshwater goby distribution, 30(1): 84–86  
     vertebrate fauna of Ant Atoll, 29(1): 21–36  
     vertebrate fauna of Pakin Atoll, 29(1): 37–48  
     vertebrates on atolls, 28(1): 9–23
- Pollen records, 28(1): 51–76
- Pollination, *Jatropha*, 26(1): 83–94
- Pollution, fecal bacteria, 26(2): 155–175
- Polycarpa rima***, n. sp., 29(2): 254–255
- Polycarpa tokiokai***, n. sp., 29(2): 255–258
- Polycavernoside A, structure, 26(1): 56
- Poultry feed, local limestone as calcium source, 26(2): 139–145
- Prehistory, 30(2): 355–388
- Printzina bossei*, 30(1): 193–198
- Priopus bakeri***, n. sp., 28(2): 158
- Priopus bicolor***, n. sp., 28(2): 170–171
- Priopus bolmi***, n. sp., 28(2): 171–172
- Priopus brunneus***, n. sp., 28(2): 172
- Priopus carinatus***, n. sp., 28(2): 172–174
- Priopus crassiusculus***, n.sp., 28(2): 176
- Priopus girardi***, n. sp., 28(2): 181
- Priopus hayekae***, n. sp., 28(2): 161–163
- Priopus hiekei***, n. sp., 28(2): 163–164
- Priopus inflammatum***, n. sp., 28(2): 165
- Priopus infuscatus***, n. sp., 28(2): 164–166
- Priopus longicornis***, n. sp., 28(2): 166–167
- Priopus merkli***, n. sp., 28(2): 182
- Priopus oberthueri***, n. sp., 28(2): 184
- Priopus samuelsoni***, n. sp., 28(2): 185
- Priopus schadenbergi***, n. sp., 28(2): 185–186
- Priopus torrevillasi***, n. sp., 28(2): 186–188
- Priopus whiteheadi***, n. sp., 28(2): 188
- Priopus zwaluwnburgi***, n. sp., 28(2): 188–189
- Pseudaulacapsis pentagona*, passionfruit scale, biological control, Suppl. 4: 7
- Pseudodistoma coronatum***, n. sp., 29(2): 145–147
- Pseudodistoma megalarva***, n. sp., 29(2): 147–148
- Pseudodistoma poculum***, n. sp., 29(2): 148–149
- Pteropus mariannus*, Mariana fruit bat, status on Guam, 28(1): 39–41
- Reptiles,  
     checklist, Mokil and Pingelap, 28(1): 12–15

- on Ant Atoll, 29(1): 21-36
- on Pakin Atoll, 29(1): 37-48
- Rhabdoscelus obscurus*, New Guinea sugarcane weevil, biological control, Suppl. 4: 13
- Rhinoceros beetle, Suppl. 4: 5-6
- Rota, Bridled white-eye nest, 30(1): 183-185
- Rotuma,
  - marine algae, revised checklist, 29(1): 49-98
  - seaweeds, 26(2): 177-198
- Saipan, forest regeneration, 26(2): 99-108
- Salmonellosis, infant, 28(1): 119-125
- Salvinia molesta*, biological control, Suppl. 4: 42-43
- Sāmoa [Western],
  - honeybees, 26(1): 83-94
  - tomato pest, 27(1/2):139-151
- Sāmoa, American,
  - archeological site (book review), 27(1/2):155-159
  - bat decline, 27(1/2):133-137
  - biological control agents, Suppl. 4: 57-60
  - crop protection, Suppl. 4: 63
- Sea cucumbers,
  - burying behavior, 30(2): 245-257
  - spicules, 30(1): 187-192
- Seaweeds, *see* Algae
- Sediment cores, 28(1): 51-76
- Sediments, fecal contamination, 26(2): 155-175
- Serianthes nelsonii*, status on Guam, 28(1): 42-43
- Sewage, contamination of water & sediments, 26(2): 155-175
- Shigellosis, 28(1): 119-125
- Siam weed, Suppl. 4: 7, 64
- Sicydium* spp., recruitment, 30(1): 25
- Sicyopterus stimpsoni*,
  - recruitment, 30(1): 65-66
  - food web, 30(1): 71-82
  - postlarval metamorphosis, 30(1): 93-104
- Sinularia paulae*, n. sp., 30(2): 231-237
- Skeleton, from Waya I., Fiji, 30(2): 355-388
- Skinks: *see* Geckos and skinks
- Snake, brown tree, book review, 27(1/2):161-163
- Sociodemographic characteristics, 28(1): 119-125
- Soft corals, Guam, 30(2): 207-244
- Sooty Tern, thermoregulation, 26(2): 217-219
- Spider courtship, 26(2): 221-225
- Spiraling whitefly, Suppl. 4: 6, 61-62
- Stentor* sp., abundant marine population, 29(1): 99-100
- Sterna fuscata*, thermoregulation, 26(2): 217-219
- Stick insects,
  - checklist, 30(2): 322-334
  - in art, Palau, 30(2): 322
  - legend, Cooks Is., 30(2): 322
- Stolonica limbata*, n. sp., 29(2): 245-247
- Stone, Benjamin C., obituary 27(1/2):166-168
- Succession, limestone forest, 26(2): 99-108

- Sugarcane weevil, Suppl. 4: 13  
Swiflet, white-rumped, population on American Sāmoa, 27(1/2):133-137  
*Syntormon boninense*, n. sp., 27(1/2):112-113  
Tangantangan, forest succession, 26(2): 99-108  
Termites,  
    checklist, 30(2): 295-305  
    legend, Caroline Is., 30(2): 295  
Terns, mixed flocks, 28(2): 203-206  
Thermoregulation, sooty tern, 26(2): 217-219  
Tipalao Marsh, Guam, sediment records, 28(1): 51-76  
Tomato cultivars, susceptibility to beetle pest, 27(1/2):139-151  
Toxins, common marine, 26(1): 11-12  
Tree snails, status on Guam, 28(1): 42  
*Trididemnum polyorchis*, n. sp., 29(2): 150-152  
Tunicates, *see* Ascidians  
Turtles,  
    checklist, Mokil and Pingelap, 28(1): 12-13  
    green, migrations, 28(1): 1-8  
    status on Guam, 28(1): 41-42  
Typhoons, impact on sheath-tailed bat, 27(1/2):135-137  
Water hyacinth, Suppl. 4: 43  
Water lettuce, Suppl. 4: 43  
Water quality indicators, 26(2): 155-175  
Web-spinners, checklist, 30(2): 306-307  
Wind, effect on aphid infestation, 28(1): 25-30  
Women, fishers in Palau, 28(1): 77-90  
Yap,  
    biocontrol of *Mimosa invisia*, 30(2): 421-427  
    pests on cruciferous plants, 27(1/2):153-154  
    turtle migration, 28(1): 1-8